Autogasmundstykker

Robuste og temperaturbestandige udsugningsslanger af metal og gummi

Nederman tilbyder et stort program af robuste mundstykker af metal og gummi, der passer til forskellige typer køretøjer og systemer inkl. for EURO 6 System. Justerbare testtragte med specialdesign til håndtering af store mængder varm udstødningsgas fra køretøjer, f.eks. i synshaller. Også muligt at få gulvstativer og udsugning for vertikale udstødningsrør.

- Enkel manuel tilslutning og frakobling af udsugningsmundstykkerne
- Vel afprøvede mundstykker med blød kant som skåner personel og køretøjer
- Mundstykkerne er modstandskraftige overfor meget høje autogastemperaturer – på op til 150°C for gummimundstykkerne, op til 400°C for metal mundstykker, for normal brug

Produkt navn	Autogasmundstykker
Installation	Indendørs

CE

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Autogasmundstykker

Billede	Beskrivelse	Max diameter udstødningsrør Dobbel (mm)	Køretøjstype	Max diameter udstødningsrør Enkel (mm)	Hose connection Diameter (mm)	Model
	Gummi mundstykke med låg og metalslange		Tunge køretøjer	150	100	20803161
	Gummi mundstykke med låg og metalslange		Tunge køretøjer ,Personbiler	150	125	20803261
	Gummi mundstykke med låg og metal slange		Tunge køretøjer	150	150	20803361
	Rubber nozzle, triangular, Spring-loaded lid, wire guard and opening for CO probe	100 x 75	Personbiler	75	75	20803461
	Rubber nozzle, triangular, Spring-loaded lid, wire guard and opening for CO probe	100 x 75	Personbiler	75	100	20803561
	Gummi mundstykke, trekantet, fjerbelastet låg, metalflexslange og åbning for kuldioxid testsonde	100 x 75	Personbiler ,Tunge køretøjer	75	125	20803661
	Rubber nozzle, triangular with lid	100 x 75	Personbiler	75	75	20804061
	Rubber nozzle, triangular without lid	100 x 75	Personbiler	75	100	20804161
	Rubber nozzle, triangular with lid	100 x 75	Personbiler ,Tunge køretøjer	75	125	20804261
	Rubber nozzle, oval, opening for CO probe. Hose connection angled 60 deg.	150 x 75	Personbiler	75	75	20805461
	Rubber nozzle, oval, opening for CO probe. Hose connection angled 60 deg.	150 x 75	Personbiler	75	100	20805561
	Rubber nozzle, round, with wireguard	n.a.	Tunge køretøjer	150	150	20805961
	Rubber nozzle, oval for variable pipe thickness	150 x 75	Personbiler	75	100	20808361
	Rubber nozzle, oval, opening for CO probe. Hose connection angled 60 deg.	200 x 100	Personbiler ,Tunge køretøjer	100	125	20805661
	Rubber nozzle, oval, opening for CO probe. Hose connection angled 60 deg.	200 x 100	Tunge køretøjer	100	150	20805761

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Autogasmundstykker

Billede	Beskrivelse	Max diameter udstødningsrør Dobbel (mm)	Køretøjstype	Max diameter udstødningsrør Enkel (mm)	Hose connection Diameter (mm)	Model
	Rubber nozzle, round, with wireguard CO probe. Hose connection angled 60 deg.	n.a.	Personbiler ,Tunge køretøjer	150	125	20805861
	Rubber nozzle, oval, automatic wire release	150 x 75	Personbiler	150	100	20806161
	Rubber nozzle,round, automatic wire release	n.a.	Personbiler ,Tunge køretøjer	150	125	20806461
	Rubber nozzle, round, automatic wire release	n.a.	Tunge køretøjer	150	50	20806561
	Rubber nozzle, round, swivel and lengthwise compressible	240 x 230	Tunge køretøjer	180	150	20806961
	Rubber nozzle, round, swivel and lengthwise compressible	240 x 230	Tunge køretøjer	230	200	20807061
	Rubber nozzle, oval, Spring-loaded lid, wire guard and opening for CO probe. Without locking clamp	150 x 110	Personbiler	110	100	20802561
	Rubber nozzle, with safety disconnection, automatic release	n.a.	Tunge køretøjer	150	150	20807861
	Aluminium nozzle with wire guard	n.a.	Tunge køretøjer	125	150	20804761
	Aluminium nozzle with wire guard	n.a.	Tunge køretøjer	170	200	20804961
	Rubber nozzle . Slips on to the exhaust pipe without locking device		Personbiler	100	75/100	20815261
	Rubber nozzle . Slips on to the exhaust pipe without locking device		Personbiler		100	20817261
	Beak nozzle		Personbiler	100	100	20866461
	Beak nozzle		Personbiler	75	75	20866561
	Beak nozzle	150 x 80	Tunge køretøjer	125	150	20866661

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Autogasmundstykker

Billede	Beskrivelse	Max diameter udstødningsrør Dobbel (mm)	Køretøjstype	Max diameter udstødningsrør Enkel (mm)	Hose connection Diameter (mm)	Model
	Beak nozzle	150 x 80	Tunge køretøjer	125	125	20866761
	Beak nozzle	150 x 80	Personbiler	125	100	20866861
	Beak nozzle	150 x 80	Personbiler	125	75	20866961
	Nozzle for built-in and covered exhaust pipes. Internal grip.	240 x (50-65)	Personbiler	65	100	20867261
	Nozzle for built-in and covered exhaust pipes. Internal grip.Includes quick coupling	240 x (50-65)	Personbiler	65	100	20867661
	Nozzle for built-in and covered exhaust pipes. Internal grip and extension hood (270mm).	270 x (50-65)	Personbiler	65	100	20867861
	For Cars with twin pipes.	250 x 80	Personbiler		100	20867761
	Rubber funnel on floor stand. Height 0 - 600 mm, rotatable		Personbiler		100	20868361
	Funnel on floor stand with wheels. Height 0 - 600 mm, rotatable		Personbiler		150	20816861
	Nozzle on floor stand. Height 130 - 440 mm		Tunge køretøjer		200	20807261
	Large aluminum generic funnel. Suitable for EURO 6 trucks. With high temperature resistant kevlar based hose.		Tunge køretøjer		150	20817061
	Aluminum funnel incl. With high temperature resistant kevlar based hose.		Tunge køretøjer		150	20817161
	Flexible stand for funnels 20817061 , 20817161 and nozzle 20817261.				75	20816961
	Galvaniseret svanehals mundstykke, længde 2600 mm	n.a.	Tunge køretøjer	250	140	20801961
	Rubber nozzle for vertical stack	n.a.	Tunge køretøjer	250	125/150/200	20808861

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Autogasmundstykker

Billede	Beskrivelse	Max diameter udstødningsrør Dobbel (mm)	Køretøjstype	Max diameter udstødningsrør Enkel (mm)	Hose connection Diameter (mm)	Model
	Galvanized nozzle for vertical stacks	n.a.	Tunge køretøjer	250	150	20816661
	Nozzle for exhaust Pipe internal size 140 x 58mm		Personbiler		100	20869761*
	Nozzle for exhaust Pipe internal size 175 x 60mm		Personbiler		100	20869861**
	Nozzle for exhaust Pipe internal size 126 x 80mm		Personbiler		100	20869961***
	Nozzle for exhaust Pipe internal size 175 x 85mm		Personbiler		100	20870061****

**For Mercedes C, Mercedes CLA, Mercedes E GLE and Ford Mondeo 2015.*
***For Audi A6 2015 and Citoën DS*
****For Volvo XC60, V60 and S60 (Before 2015), Mercedes R, GLK and GLA 2015, Mercedes E (Before 2013) and Porsche Cayenne.*
*****For Volvo S60, S90, S60 cross country (From 2015), V40, V60, V90, V60 cross country (from 2015), XC60 and XC90.*

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Autogasmundstykker

	Tilbehør	Artikelnummer
	Sikkerhedskobling 4"	20374541*
	Sikkerhedskobling 6"	20374543*
	Quick coupler, male, Ø100 incl. rubber sleeves and hose clip	20375049*
	Quick coupler, male, Ø150 incl. rubber sleeves and hose clip	20376017
	Tilslutningssæt 4" for lynkobling	20375048
	Adapter for 3" Slange	20373128
	Adapter for double exhaust pipes, L=1,0 m, ø 100 mm	20815061
	Teleskop løftestang 3 mtr. til 20808861, 20816661, 20816761	20374287**
	Lynkobling 100mm (2 stk.)	20374641

**Use the key ring on the one end of the coupling to more easily connect and reconnect the two hose ends or to disconnect the two hose ends.*
***Til brug med 20808861 eller 20816761*

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB