

Hose Reel 889

Medium sized open hose reel.



Fitted with slightly larger drums and therefore are able to take longer hoses than Series 888. Thanks to the open design, the reels are very easy to service, maintain and keep clean. Can be installed on wall or on the ceiling.














- Outlet position can be adjusted through 120° for optimum pull-out and pull-in angle.
- Spring power can easily be adjusted from the outside.
- Ratchet easily disengaged when required.

| | |
|-----------------------------|--|
| Product name | Hose Reel 889 |
| Media | [air], [water], [waterhighpressure], [oil], [adblue] |
| Connection hose length (ft) | 3 |



Hose Reel 889

Hose Reel 889

| | [accessory] | [partno] |
|---|--|----------|
|  | Pivoting bracket. | 30372407 |
|  | Water gun in chromium plated brass | 30400110 |
|  | Water gun in stainless steel 316 | 30400210 |
|  | Water gun EX | 30400211 |
|  | Water gun in stainless steel 316 | 30400310 |
|  | Swivelling coupling 3/8(m)-3/8(m)HP | 30431310 |
|  | Swiv. coupling 3/8(m)-3/8(m) HP SS | 30431410 |
|  | Swivl. coupl. 1/2(m)-3/8(f) brass | 30431510 |
|  | Swivl. coupl. 1/2(m)-1/2(f) brass | 30431610 |
|  | Swivel coupling 1/2(m)- 3/4 (f) bra | 30431710 |
|  | Swivl. coupl. 1/2(m)-3/8(f) SS | 30431810 |
|  | Swivl. coupl. 1/2(m)-1/2(f) SS | 30431910 |
|  | Swivl. coupl. 1/2(m)-3/4(f) SS | 30432010 |
|  | Inlet kit for hose reel 1/2" with ball valve | 30511550 |
|  | Inlet kit for hose reel 3/8" | 30511650 |
|  | Inlet kit for hose reel 1/2" | 30511750 |

Hose Reel 889

