

Hose Reel 884

Heavy duty hose reel for air, water, oil, diesel and grease.










Heavy duty hose reel for air, water, oil, diesel and grease. Suitable for long and heavy hoses. Made of epoxy coated die cast aluminium. Ball bearings in drum and swivel

- Fully protected inner mechanisms
- Strong, durable and highly corrosion resistant
- Adjustable outlet arm minimizes friction
- Easy service and cleaning.






Product name	Hose Reel 884
Material recycling (% weight)	100
Connection hose length (m)	1
Colour	Space blue / Blue
Weight (kg)	31,5
Corrosion resistance	Standard
Electric/Spring driven	Spring



Hose Reel 884

[image]	Type of hose ¹	Media	Delivered with hose	Distribution hose length (m)	Diameter, connection hose (mm)	Distribution hose diameter (mm)	Max working pressure (Mpa)	Max hose length	[model]
		Oil				12.5	7,5	30	30813584*
		Oil				25	5	10	30813384**
				25	6	6	35		30813284
		Compressed air ,Water				12.5	1,5	20	30810184*
		Compressed air ,Water		20	12.5	12.5	1,5		30810284
		Compressed air ,Water				19	1,5	15	30810384***
		Compressed air ,Water		15	19	19	1,5		30810484
		Compressed air ,Water				25	1,5	10	30810584**
		Compressed air ,Water		10	25	25	1,5		30810684
		Water ,Food		20	12.5	12.5	2		30810884
		Water ,Food		15	19	19	2		30811284
		Water ,Food		10	25	25	2		30811484
		Water high pressure				10	25	25	30811584****
		Oil				12.5	10	20	30811784*
		Oil		20	12.5	12.5	7,5		30811884

Hose Reel 884

[image]	Type of hose ¹	Media	Delivered with hose	Distribution hose length (m)	Diameter, connection hose (mm)	Distribution hose diameter (mm)	Max working pressure (Mpa)	Max hose length	[model]
		Oil				19	5	15	30812184****
		Oil		15	19	19	5		30812284
						19	5	17	30814584****
		Oil		10	25	25	5		30813484
		Oil		30	12.5	12.5	7,5		30813684
						19	1,5	15	30825584*****
		Compressed air ,Water					1,5	30	30817384*
		Compressed air ,Water		30	12.5	12.5	1,5		30817484
		Water high pressure		25	10	10	25		30811684
								20	30817784*****

*For 12,5 mm hose

**For 25 mm hose

***For 19 mm hose

****For 10 mm hose



















*****Without swivel. For 25 mm hose diameter max 10m hose length

*****Without swivel

¹ See table below

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
J		-40 - 100				
D		-30 - 100				
E		-30 - 100				
I		-40 - 100				
B		-30 - 100				
G		-40 - 155				

Hose Reel 884

	[accessory]	[partno]
	Roller guide.	30341550
	Water gun in chromium plated brass	30400110
	Water gun in stainless steel	30400210
	Watergun EX	30400211
	High temperature water gun	30400310
	Air gun, standard.	30410110
	Swivelling coupling 3/8(m)-3/8(m)HP	30431310
	Swiv. coupling 3/8(m)-3/8(m) HP SS	30431410
	Swivl. coupl. 1/2(m)-3/8(f) brass	30431510
	Swivl.coupl. 1/2(m)-1/2(f) brass	30431610
	Swivel coupling 1/2(m)- 3/4 (f) bra	30431710
	Swivl. coupl. 1/2(m)-3/8(f) SS	30431810
	Swivl coupl. 1/2(m)-1/2(f) SS	30431910
	Swivl.coupl. 1/2(m)-3/4(f) SS	30432010
	Pivoting Wall bracket FZB	30373667
	Inlet kit for hose reel 1/2" with ball valve	30511550
	Inlet kit for hose reel 3/8" with ball valve 3/8", 3/8"-3/8" adapter and 1/4" - 3/8" adapter.	30511650
	Inlet kit for hose reel 1/2" with ball valve 1/2", 1/2" adapter, 1/2"-1/2" nipple and hose clamp	30511750

Hose Reel 884

