
# Nederman

# Backpack for FM filters

#### The FM Backpack is available in two versions, a single and a double version



The FM Backpack is available in two versions, a single and a double version. The FM backpack is available for all filter sizes.

#### FM Backpack Single

The backpack single is used where an upward explosion relief is wanted. The backpack single can also be used in applications where the inlet has to be extra large because of the large air flow into the filter. In cases where the dust is extremely abrasive and the inlet speed is very low, the backpack single can be used as well.

#### FM Backpack Double


The backpack double is used to connect several filters into one filter. Here the explosion relief can be upward as well.

Produktnavn


# Nederman

Bilde	Navn på datablad	Model
Val	Single backpack for 4 modules	5509660
and	Single backpack for 8 modules inlet L, D=400 QF, two relief panels	5509662
Fala	Single backpack for 8 modules round inlet from the top pos L $% \mathcal{C}_{\mathrm{rot}}$	5501169
Fala	Single backpack for 8 modules round inlet from the top pos $\ensuremath{R}$	5501170
	Single backpack for 6 modules inlet L, D=400 QF, three relief panels	5512286
	Double backpack for 4 modules	5509661
a la	Double backpack for 8 modules two relief panels and round inlet from the top	5509663











# Nederman








\*) seen from the back site of the filter





\*) seen from the back site of the filter