Nederman

MagnaRail Green

High quality low maintenance exhaust removal system



MagnaRail Green is a high capacity system designed to handle high operation requirements. Up to two vehicles can be attached to the same rail for a drive through or back in application for vehicles with low level tail pipes. The suction rail is formed in a configuration such that the extrusion serves not only as an exhaust duct, but also as the guide rail that the extraction trolley travels in. The rail is available up to 99 ft.

The fan/duct work can be connected to the rail via either an end outlet or one/several top outlets depending on the length of the rail.

6" diameter hose - The system uses a 6" diameter hose providing up to 800 cfm, the most of any system on the market.

8" Nozzle - The 8" diameter nozzle provides greater ambient air intake providing cooling air which extends system life.

Anchor Plate – The Nederman system attaches to an anchor plate mounted on the vehicle body and uses that for the pulling force of the system, not the exhaust pipe which was never designed to pulled on by systems that attach to the exhaust pipe.

Specialty Nozzles - Nederman designs special nozzles to work with and fit the newer EPA 07 tailpipes. We do not need to change the tip of the exhaust pipe to work with the Green system which could void the manufacturer's warranty.

Auto Start System – With the Nederman Auto Start System, the exhaust fan is activated prior to the start of the vehicle's engine ensuring 100% capture of exhaust. Other styles of starting systems are unreliable and prone to failure.

- Reliability Uses the same proven technology as the time proven Magna Series, only the magnet and release are different.
- Assisted Release The system offers an assisted release from the vehicle and does not just pull of the truck through sheer force but also provides a lifting action providing a smoother safer release with less recoil and swing back than competitive systems.

Product name	MagnaRail Green
Note	Including - Aluminum track (1), Mounting brackets for 2.4 m distance (2), Rubber stop (3),Sliding block (4), Balancer (5), Swivel (6), Hose connector, Exhaust hose (7), Low level nozzle, length - 2 ft, diameter - 5 in (8), Electro-magnet assembly (9), Anchor plate (10)



MagnaRail Green

Description	Diameter, hose (in)	Hose length (ft)	[model]
MagnaRail Green Extraction unit	160	З	20817064*
MagnaRail Green Extraction unit	61/4	4	20816964*

*Including - Aluminum track (1), Mounting brackets for 2.4 m distance (2), Rubber stop (3), Sliding block (4), Balancer (5), Swivel (6), Hose connector, Exhaust hose (7), Low level nozzle, length - 2 ft, diameter - 5 in (8), Electro-magnet assembly (9), Anchor plate (10)



MagnaRail Green

	[accessory]	[partno]
	Exhaust rail 920 L = 17.5 m (57 ′)	20916620*
	Exhaust rail 920 L = 7.5 m (25´)	20916220*
	Exhaust rail 920 L = 10.0 m (33′)	20916320*
	Exhaust rail 920 L = 12.5 m (41′)	20916420*
	Exhaust rail 920 L = 15.0 m (50′)	20916520*
	Exhaust rail 920 L= 20.0 m (66′)	20916720*
	Exhaust rail 920 L= 22.5 m (74′)	20916820*
	Exhaust rail 920 L = 25.0 m (82′)	20916920*
	Exhaust rail 920 L= 27.5 m (90′)	20917020*
	Exhaust rail 920 L= 30.0 m (99´)	20917120*
J	MagnaSystem Nozzle Standard (10a)	20802164
J	MagnaSystem Nozzle Ø160 (6") HB 600 Low Level (10a)	20802264
J	MagnaSystem Nozzle Ø160 (6") HB 900 Low Level (10a)	20802464
۲	Anchor plate for magnatrack.	20372003
	Top outlet Ø200 (8 in) for 920	20374246
	Transmitter vehicle GHz	20376723
	Receiver GHz	20376724
	Handheld transmitter GHz	20376725
	Hose protection ø130/160 (Pair)	20374428
	Twist support, HL nozzle (16)	20374364
	Lengthening shaft, HL nozzle (17)	20374359
	Receiver Gen II US	89116065

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB www.nederman.com 3




MagnaRail Green

[accessory]	[partno]
Suc. trolley 920/400	20374378
Magna-Green Earth magnet conversion kit	86900382
6 In. HB Nozzle, Only for Dual Pipe	86900371
Flex Noz ONLY 6"w 9"opening2007en	89298061
Flex Nozzle only, 8 inch opening	89298064
3HP/3PH/208-230V Auto-Start Control Console	89116051
Auto-Start Control Panel 3Hp/1Ph/208-230Vw/ASlbd	89116050
Flex Noz ONLY 6"w10"opening2007en	89298065

*Complete with suspension parts, joint connectors, rubber seals, end covers and end stops.

Nederman

MagnaRail Green



B: Airflow, m3/h

C: Airflow cfm D: Pressure drop, in w.g.

Top diagram:

1 = Top connection angled, Ø 200 mm

2 = End connection

3 = Exhaust rail, per metre

Bottom diagram

1 = Extraction unit LL, hose 4 m, ø130 mm

2 = Extraction unit LL, hose 4 m, ø160 mm

3 = Extraction unit HL, hose 2 m, ø160 mm

Airflow recommendations: Heavy vehicles: 1000 - 1200 m3/h Car / SUV: 400 - 600 m3/h