Nederman

Air Purification Box CCD-1RC

CCD-1RC is design for free hanging applications to control light airborne dust/smoke in a contaminated air stream.



Small air polishing unit primarily used for areas with light to moderate pollution. Ideals for small service and repair shops, areas with diesel smoke, grinding particles or other airborne pollutants.

The Nederman CCD-1RC is design for free hanging applications to control light airborne dust/smoke in a contaminated air stream. Suitable applications include diesel smoke, grinding dust, weld fume, coolant mist/smoke and other airborne particulate.

It is design for indoor installation only and must be protected from excessive moisture.

The function of the machinery is that the airborne particulate is drawn by the fan into the air cleaner and through the filters located at the front of the unit. The cleaned air is discharged at the rear of the unit via a double deflection grill.

 Small air polishing unit primarily used for areas with light to moderate pollution. Ideals for small service and repair shops, areas with diesel smoke, grinding particles or other airborne pollutants.

The Nederman CCD-1RC is design for free hanging applications to control light airborne dust/smoke in a contaminated air stream. Suitable applications include diesel smoke, grinding dust, weld fume, coolant mist/smoke and other airborne particulate.

It is design for indoor installation only and must be protected from excessive moisture.

The function of the machinery is that the airborne particulate is drawn by the fan into the air cleaner and through the filters located at the front of the unit. The cleaned air is discharged at the rear of the unit via a double deflection grill.

| Product name | Air Purification Box CCD-1RC |
|-----------------------------|---|
| Noise level (dB(A)) | 75,6 |
| Filter efficiency (%) | 95 |
| Compressed air consumption | |
| Installation | [Indoor] |
| Capacity (max airflow m3/h) | 2550 |
| Operating Temperature | Max. temperature of filtered media 80 Deg. C. |
| Power Voltage (V) | 230 |
| Weight (kg) | 51 |
| Power (kW) | 0,33 |




Air Purification Box CCD-1RC

| Description | [model] |
|--|----------|
| Air purification box without indicator | 73000067 |
| Air purification box with indicator | 73000071 |


Nederman


Air Purification Box CCD-1RC



Function

The function of the machinery is that the airborne particulate is drawn by the fan (pos. 1) into the air cleaner and through the filters (pos. 2) located at the front of the unit. The cleaned air is discharged at the rear of the unit via a double deflection grill (pos. 3).





Dimensions