

Magna Track S

Sistema de extração de gases de escape para serviços de emergência com saídas e velocidade normais













O MagnaTrac S é a alternativa económica ao MagnaTrac HS e foi projetado para uma frequência normal de saídas com velocidades normais. O MagnaTrac S tem um cordão elástico no interior da mangueira de extração (em vez de um equilibrador) e uma travão de borracha (em vez de um amortecedor hidráulico). O sistema de calha serve um veículo de cada vez. O MagnaTrack S está disponível em comprimentos de 3,5 m para 18 m. Serve para veículos com tubos de escape em baixo.

- Capacity: 1 vehicle per system
- Exhaust pipes: low level tail pipes
- Normal exit speed up to 15 km/h - 10 mph
- For reverse-in (or drive-through)
- Optional automatic start/stop device that offers:
 - Practical control of fan start/stop
 - Safe control of air quality (source ventilation automatically starts when vehicle engine starts)
 - Simple programming
 - Approval for radio equipment acc. to EC directives, FCC (USA) and IC (Canada)

Produto	Magna Track S
Peso (kg)	4,0 kg/m
Nota	Including - Aluminum track (1), Mounting brackets for 2.4 m distance (2), Rubber stop (3), Horizontal hose (4), Extraction trolley (5), Elastic cord (6), Vertical hose (7), Electro-magnet assembly (9), Anchor plate (10), Disconnection box (11) and Transformer (12)

















Magna Track S


Imagem	Descrição	Diâmetro, mangueira (mm)	Comprimento da mangueira (m)	Modelo
	Magna Track 5,9 m ø 160, com 3m vert	160	3	20812564*
	Magna Track 7 m ø 160, com 3m vertic	160	3	20812664*
	Magna Track 9,5 m ø 160, com 3m vert	160	3	20812764*
	Magna Track 11,8 m ø 160, com 3m ver	160	3	20812864*
	Magna Track 5,9 m ø 160, com 4m vert	160	4	20812964*
	Magna Track 7 m ø 160, com 4m vertic	160	4	20813064*
	Magna Track 9,5 m ø 160, com 4m vert	160	4	20813164*
	Magna Track 11,8 m ø 160, com 4m vert	160	4	20813264*
	Magna Track 5,9 m ø 130, com 4 m vert	130	3	20816064*
	Magna Track 5,9 m ø 130, com 3 m vert	130	4	20816864*

*Including - Aluminum track (1), Mounting brackets for 2.4 m distance (2), Rubber stop (3), Horizontal hose (4), Extraction trolley (5), Elastic cord (6), Vertical hose (7), Electro-magnet assembly (9), Anchor plate (10), Disconnection box (11) and Transformer (12)

Magna Track S

	Acessório	Artigo nº
	MagnaSystem Bocal Standard	20802164
	MagnaSystem Bocal Ø160 (6'') HB 600 Nivel Baixo	20802264
	MagnaSystem Bocal Ø160 (6'') HB 900 Nivel Baixo	20802464
	Prato de ancoragem para magnatrack.	20372003
	Anchor plate shutter in two parts	20371853
	Fecho do prato de ancoragem: em 3 partes	20371868
	Transmissor de rádio para veículo GHz	20376723
	Recetor de rádio GHz	20376724
	Transmissor de rádio GHz de mão	20376725
	Hydraulic shock absorber including bracket	20374391
	Kit Programa para sistema de radio	20376726
	Proteção para Mangueira Ø130/160 (Par)	20374428
	MagnaSystem Bocal Ø130 (5'') HB 600 Nivel Baixo (10a)	20802364
	Scoop Nozzle HB 600 Low Level 5"	20814263
	Scoop Nozzle HB 600 6" Low Level	20814463

Magna Track S





y1: Pressure drop (Pa),

x1: Airflow (m³/h)

x2: Airflow (cfm)

y2: Airflow (in w.c.)

Magna Track S



Length of rail, m / ft	No. of brackets
5.9 / 19.4	3
7 / 22.9	4
9.5 / 31.2	4
11.8 / 38.7	5