

Magna Track LS

Sistema de extração de gases de escape para serviços de emergência com poucas saídas



O MagnaTrac LS é projetado para estações com poucas saídas. A mangueira de extração é suspensa de um carro com equilibrador, que se move numa calha de alumínio. O desacoplamento faz-se através de um sistema mecânico suave e de um só passo que diminui a tensão no tubo de escape do veículo e minimizar o esforço na mangueira e nos suportes de teto. O MagnaTrack LS está disponível em 6 e 9 m serve para tubos de escape baixos. O sistema não utiliza quaisquer componentes elétricos.

Capacidade: 1 veículo por sistema

Tubos de escape em baixo

Velocidade normal de saída de até 5 km/h - 3 mph

Para marcha atrás (ou saída normal)

Dispositivo opcional arranque/paragem automática que oferece:




- Controle prático de arranque/paragem do ventilador
- Controle da qualidade do ar (a aspiração inicia-se automaticamente quando o motor do veículo é iniciado)
- Programação simples
- Aprovação dos equipamentos de rádio de acordo com as directivas CE, FCC (EUA) e IC (Canadá)

- Capacity: 1 vehicle per system
- Exhaust pipes: low level tail pipes
- Normal exit speed up to 5 km/h - 3 mph
- For reverse-in (or drive-through)
- Optional automatic start/stop device that offers:
 - Practical control of fan start/stop
 - Safe control of air quality (source ventilation automatically starts when vehicle engine starts)
 - Simple programming
 - Approval for radio equipment acc. to EC directives, FCC (USA) and IC (Canada)

Nome do Produto	Magna Track LS
Diâmetro, mangueira (mm)	125
Nota	Including - Aluminum track (1), Mounting brackets for 2.4 m distance (2), Rubber stop (3), Sliding block (4), Balancer (5), Swivel (6), Hose connector, Exhaust hose (7), Low level nozzle, length - 0,6 m, diameter - 130 mm (8), Electro-magnet assembly (9), Anchor plate (10)




Magna Track LS

[image]	Descrição	Comprimento da mangueira (m)	[model]
	Magna Track LS, 6m driving length, 2 x track segments	5	20808864*
	Magna Track LS, 9m driving length, 7 x track segments	6	20809064*
	Magna Track LS, 12m driving length, 10 x track segments	7,5	20809164*

*Including - Aluminum track (1), Mounting brackets for 2.4 m distance (2), Rubber stop (3), Sliding block (4), Balancer (5), Swivel (6), Hose connector, Exhaust hose (7), Low level nozzle, length - 0,6 m, diameter - 130 mm (8), Electro-magnet assembly (9), Anchor plate (10)

Magna Track LS



- A: Pressure drop (Pa)
- B: Airflow (m³/h)
- C: Airflow (cfm)
- D: Pressure drop (in. w.c.)

Pressure drop valid for 6 and 7m track with 5 m hose Ø125mm and HB 600LL nozzle

Airflow recommendations:
 Heavy vehicles: 1000 - 1200 m³/h
 Car / SUV: 400 - 600 m³/h

Magna Track LS

