

ระบบดูดไอเสีย Magna Track HS

ระบบแยกไอเสียสำหรับสถานีฝึกเงินที่มีความถี่สูง / ความเร็วสูง



MagnaTrack HS

ถูกออกแบบมาเพื่อรองรับสถานีฝึกเงินที่มีความถี่ในการทำงานสูง ระบบ MagnaTrack HS ทำหน้าที่หนึ่งคันในแต่ละครั้ง เครื่องถ่วงลอมมีกำลังยกที่สม่ำเสมอ MagnaTrack HS มีความยาวตั้งแต่ 3.5 ม. ถึง 18 เมตร (10 ฟุตถึง 60 ฟุต) และเหมาะสำหรับรถที่มีท่อไอเสียต่ำและท่อที่ติดตั้งอยู่สูง

- ความจุ: 1 คันต่อระบบ
- ท่อไอเสีย: ท่อระดับสูงหรือระดับต่ำ
- ความเร็วในการขับสูงถึง 25 กม. / ชม. 15 MP
- สำหรับย้อนกลับเข้าหรือขับผ่านไป
- อุปกรณ์เริ่ม / หยุดอัตโนมัติให้เลือกซึ่งมี:
 - การควบคุมการทำงานของพัดลมเริ่ม / หยุดการทำงาน
 - ควบคุมคุณภาพอากาศได้อย่างปลอดภัย (การระบายอากาศจะเริ่มทำงานโดยอัตโนมัติเมื่อยานพาหนะสตาร์ทเครื่องยนต์)
 - การเขียนโปรแกรมแบบง่าย
 - การอนุมัติอุปกรณ์วิทยุตาม คำแนะนำของ EC, FCC (USA) และ IC (Canada)

Product name	ระบบดูดไอเสีย Magna Track HS
--------------	------------------------------



ระบบดูดไอเสีย Magna Track HS

รูปภาพ	Description	Diameter, hose (mm)	Hose length (m)	รุ่น
	MagnaTrack Horizontal 3,5m (12 ')	160		20804164*
	MagnaTrack Horizontal 5,9 m (20 ')	160		20804264*
	MagnaTrack Horizontal 9,5m (32 ')	160		20804364*
	MagnaTrack Horizontal 11,8 m (39 ')	160		20804464*
	MagnaTrack Horizontal 15,3 m (51 ')	160		20804564*
	MagnaTrack Horizontal 17,7 m (59 ')	160		20804664*
	MagnaTrack Horizontal 7,0 m (23 ')	160		20806864*
	MagnaTrack extraction unit ø 130 mm, 3m vertical	130	3	20801564**
	MagnaTrack extraction unit ø 130 mm, 4m vertical	130	4	20801664**
	MagnaTrack extraction unit ø 160 mm, 3m vertical	160	3	20801764**
	MagnaTrack extraction unit ø 160 mm, 4m vertical	160	4	20801864**
	Complete extraction unit, Ø160 for high level (HL) exhaust pipes	160	2	20801964


*Including - Guide Track (1), Mounting brackets for 2.4 m distance (2), Shock absorber (3), Horizontal hose (4), Transformer (12)

**Including - Trolley (5), Balancer (6), Vertical hose (7), Electro-magnet assembly (9), Anchor plate (10), Disconnection box (11)

ระบบดูดไอเสีย Magna Track HS


	อุปกรณ์เสริม	หมายเลขชิ้นส่วน
	Magna System Nozzle Standard, Ø160, Low Level	20802164
	Magna System Nozzle Ø160 (6") HB 600 Low Level	20802264
	MagnaSystem Nozzle Ø130 (5") HB 600 Low Level	20802364
	Magna System Nozzle Ø160 (6") HB 900 Low Level	20802464
	Scoop Nozzle HB 600 Low Level 5"	20814263
	Scoop Nozzle HB 600 6" Low Level	20814463
	Radio transmitter vehicle GHz	20376723
	Radio Receiver GHz	20376724
	Handheld radio transmitter GHz	20376725
	Program kit for radio system	20376726
	Hose protection ø130/160 (Pair)	20374428
	Anchor plate, shutter, in 3 parts	20371868
	Twist support, HL nozzle	20374364
	Lengthening shaft, HL nozzle	20374359

ระบบดูดไอเสีย Magna Track HS




y1: Pa, x1: m³/h, x2: CFM y2: W.C

ระบบดูดไอเสีย Magna Track HS





* NB: Consider compressible hose 1:5



Length of rail, m	No. of brackets
3.5	2
5.9	3
7	4
9.5	4
11.8	5
15.3	7
17.7	9

N.B. The nozzle for high level (HL) exhaust pipes must be installed at a higher level than the exhaust pipe. The nozzle must be pulled downwards at connection, which will activate the balancer.

ระบบดูดไอเสีย Magna Track HS



Length of rail, m / ft	No. of brackets
5.9 / 19.4	3
7 / 22.9	4
9.5 / 31.2	4
11.8 / 38.7	5