500A EX

Vysavač pro odsávání hořlavých kapalin.

Průmyslový vysavač pro suché / mokré vysávání 500A EX je jednoduché zařízení určené pro sběr hrubých částic, jako jsou například třísky a granule, stejně jako kapalin a kalů. Vysokopodtlaková sběrná nádoba má dostatečnou kapacitu i pro velké množství materiálu. Tento vysavač pro suché i mokré vysávání obsahuje spodní vypouštěcí ventil pro rychlé a jednoduché vyprázdnění kapalin. Filtrační systém zahrnuje polyesterovou filtrační vložku. Pro zabránění přeplnění zásobníku kapalinami slouží plovákový vypínač, který zařízení vypne po dosažení maximální kapacity. Zařízení je schválené dle ATEX: EX II 2 GD c IIB 60°C (T6).

- Jednoduché používání ve stísněných prostorách
- Spodní výpustný kohout
- Schváleno dle ATEX

Název produktu	500A EX
Instalace	Vnitřní
Metoda čištění filtru	Jednostranný filtr
Použití	Tekutina, Granulát, Třísky
Objem sběrné nádoby (l)	160
Filtrační plocha (m²)	0,59

Granulát Třísky Tekutina

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

500A EX

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

500A EX



Vzduchové ejektory

Všechny údaje o výkonu jsou založeny na tlaku vzduchu 7 barů

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB