500A EX

Odkurzacz do zbierania łatwopalnych cieczy

Odkurzacz przemysłowy 500E do suchych i mokrych materiałów wyposażony w pojedynczy zbiornik, przeznaczony do zbierania większych cząstek, takich jak: wióry, granulaty ciecze i szlam. Zbiornik może zebrać dużą ilość materiału. Odkurzacz zawiera dolny zawór spustowy, umożliwiający szybkie opróżnianie cieczy ze zbiornika. System filtracyjny to poliestrowy filtr workowy. Pływak zabezpiecza zbiornik przed przepełnieniem cieczą. Jednostka zgodna z normą ATEX EX II 2 GD c IIB 60°C (T6).

- Odpowiedni do zamkniętych przestrzeni
- Dolny zawór spustowy
- Zgodny z ATEX

Nazwa produktu	500A EX
Instalacja	wewnątrz
Metoda czyszczenia filtra	filtr bez możliwości czyszczenia
Application	ciecz, granulat, wióry
Objętość pojemnika na pył (l)	160
Powierzchnia filtracyjna (m²)	0,59

granulat wióry ciecz

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

500A EX

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

500A EX



Eżektory na sprężone powietrze

Wszystkie dane dotyczące wydajności są oparte na ciśnieniu zasilania 7 bar

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB