# Nederman

# Industrial vacuum cleaner 450A

#### dust collectors with NCF filter



Single container system for fixed installation. Equipped with NCF filter which is automatically cleaned at each system stop. Cyclonic discharge of the material into a container of 47 liters (12 gal). Powerful vacuum unit suitable for recovery of dust, grit and granulated material. The unit is efficient for collecting greasy chips from lathes and drilling machines in a central suction system.

- Efficient vacuum unit requiring minimal floor space
- Efficient self-cleaning NCF filter
- High suction capacity

Product name	Industrial vacuum cleaner 450A					
Installation	[Indoor]					
Filter cleaning method	Reverse air pulse					
Application	[dust], [granulate], [grit], [swarf]					
Dustbin volume (l)	47					
Filter Area (m²)	1,6					
Type of hose	[W]					
Weight (kg)	88					
	🔊 🔊 🔽 🖉 CE					

Grit

Dust



### Industrial vacuum cleaner 450A

Image	Description	Filter type	Number of filter elements	Filter material	Compressed air requirement	Max airflow (m³/h)	Noise level (dB(A))	Max vaccum (kPa)	Model
	450A - NE66 without frame, orange		1	Microfibre	4,1 Nm3/min	630	76.5	-38	42145010
	450A - NE42, with 1" quick coupling without accessories		70	Vyon	2,2 Nm3/min	360	73.5	-42	42145018




### Industrial vacuum cleaner 450A

	Part No	
0 <sup>0</sup>	Control S for NE 22-76	43220001
	Control S for NE 22-76	43220026
	Control S for NE86-96	43222008



# Industrial vacuum cleaner 450A



Air Powered ejectors

All performance data are based on 7 bar supply pressure