

Easy-to-use and robust dispensers (guns) specially developed for measuring and dispensing oil and similar liquids



For lubrication and service in the automotive, industrial, shipping, agricultural, aviation and mining industries. Our robust and easy-to-use hand meters are specially developed for measuring and dispensing oil and similar liquids.(Not sold in the US) Wall mounting and modular extensions. The wall-mounted version of these oil pumps, mounted on wall or in a fixed position by means of the special accessories, enables numerous uses through the application of modular extensions

- · Robust and reliable measuring and dispensing grip
- Dispensing grip for: engine oil, gearbox oil, transmission oil, glycol, washer fluid etc.

Product name Dispensers for oil, grease and multi fluid



รูปภาพ	Description	รุ่น
	Manual control gun . For oil/antifreeze up to SAE 140 . Includes: 1/2 BSP inlet swivel 90° flexible outlet with manual non-drip nozzle.	30502050
	Manual control gun . For oil/antifreeze up to SAE 140 . Includes:1/2 BSP inlet swivel 45° flexible outlet with manuell non-drip nozzle. Handle with locking device. Can also be used for multifluids.	30582750
	Digital oil control meter. Complete ½" inlet swivel 90° flexible outlet with automatic non drip nozzle.	30582850*
	Digital pre-set oil control meter. 90° flexible outlet ½" with manual non drip nozzle.	30508350**
	Mechanical non-preset meter. 90° flexible outlet $\ ^1\!\!\!/^2$ with manual non drip nozzle.	30508450***
	Mechanical preset meter. 90° flexible outlet $\%$ " with manual non drip nozzle.	30508550***
	Grease control gun incl Z-svivel, G ¼" female.	30504150
	Oil gun ½" Female svivel BSP	30592350
A	Water / anti freeze Gun, 3/8" Female BSP	39900007
	Digital oil control meter. Complete ½" inlet swivel 90° flexible outlet with manual non drip nozzle.	30508250
	Double valve tap with antisplash filter for fixed installations.	30593350
	Grease control gun with rigid terminal, G½" female with four jaw coupler.	30593650
*	Digital control meter for wind screen fluid. Complete ½" inlet swivel 90° flexible outlet with manual non drip nozzle.	30594650
	Digital control meter for antifreeze & brake fluid .Complete ½ inlet swivel 90° flexible outlet with manual non drip nozzle.	30508650
	Digital control meter for wind screen fluid complete 1/2" inlet swivel, straight outlet without non drip nozzle.	30582550



รูปภาพ	Description	รุ่น
	Green digital meter 1/2", Female 1/2" thread swielling.	30582650

^{*}Flow-rate from 1 to 30 l/min, Precision \pm 0.5 %, Maximum working pressure: 70 bar, ~1/2" inlet swivel.

^{**}Flow-rate from 1 to 30 l/min, Precision ± 0.5 %, Maximum working pressure: 65 bar, 1/2" inlet swivel, Max quantity 99,9 l.

^{***}Flow-rate from 1 to 15 l/min, Precision ± 0.65 %, Maximum working pressure: 70 bar, 1/2" inlet swivel.



อุปกรณ์เสริม		หมายเลขชิ้นส่วน
	Swivel for oilgun, 1/2" - 1/2"	30591550
\wedge	Flexible nozzle 135° with automatic non-drip	30375945
	90 degree flex outlet with manual non drip	30591050
	Jaw couples 10 units	30591650
	Outlet hose for grease	30597450
The state of the s	Straight flex outlet with non drip	30590950