

Pneumatiske olie pumper

Pneumatiske pumper til fedt, olie og andre væsker



Ideelle oliepumper til pumpning af væsker med lav viskositet som motorolie, gammel spildolie, kølevæske, transmissionsolie, ATF-olie og andre, tilsvarende produkter. Pumperne kan vægmonteres eller placeres direkte på tønden eller tanken. Takket være specialudstyr har pumperne mange anvendelsesområder.



Produkt navn	Pneumatiske olie pumper
--------------	-------------------------



Pneumatiske olie pumper

Billede	Beskrivelse	Max tryk (Mpa)	Indløb	Capacity	Inlet Media	Model
	Oilpump 3:1 for medium to heavy applications. Includes wallbracket and bung adaptor. Suction tube 180 mm long.	1	ISO-G1/4" Female	20 l/min	ISO-G1" Male	30580750
	Oilpump 3:1 for medium to heavy applications. Includes wallbracket and bung adaptor. Suction tube 910 mm long.	1	ISO-G1/4" Female	20 l/min	ISO-G1" Male	30580850
	Oilpump 3:1 for lighter applications. With bung adaptor. Suction tube 940 mm long.	0,8	1/4" BSP Female	13 l/min	1" LP adapter	30599250
	Oilpump 5:1 for lighter applications. With bung adaptor. Suction tube 940 mm long.	0,8	1/4" BSP Female	14 l/min	1" LP adapter	30599450
	Oil Pump 5:1., High Flow for medium to heavy applications. Pump tube Ø56mm, tube length 270 mm with wall bracket	1,2	3/8" BSP Female	40 l/min	1 1/2" BSP Female	30599550*
	Oilpump 3:1 for lighter applications. Includes wallbracket and Ø42 mm pump tube and bung adaptor Suction tube 270 mm long.	0,8	1/4" BSP Female	12 l/min	1" LP adapter	30599150
	Oilpump 5:1 for lighter applications. With bung adaptor. Suction tube 270 mm long.	0,8	1/4" BSP Female	14 l/min	1" LP adapter	30599350
	Oil Pump 6:1., High Flow for medium to heavy applications. Pump tube Ø50 mm, tube length 160 mm with wall bracket	1	1/4" BSP Female	23 l/min	3/4" BSP Female	39100005
	Oil Pump 6:1., High Flow for medium to heavy applications. Pump tube Ø50 mm, tube length 960 mm	1	1/4" BSP Female	23 l/min	3/4" BSP Female	39100022
	Grease pump 65:1 for lighter applications. Pump tube Ø30 mm, tube length 740 mm. For 60 kg drums.	0,8	3/4" BSP Female	1000 gr/min at 6 bar		30599650
	Grease pump 65:1 for lighter applications. Pump tube Ø30 mm, tube length 940 mm. For 180 kg drums.	0,8	3/4" BSP Female	1000 gr/min at 6 bar		30599750
	Waste oil pump. Max Vacuum -95 kPa	1	1/4" BSP Female	23 l/min	1" BSP Female	30508950
	Diaphragm pump 1:1	0,8	1/4" BSP Female	60 l/min	3/4" BSP Female	30507950
	Diaphragm pump 1:1	0,8	1/4" BSP Female	100 l/min	1" BSP Female	30600050
	Kit grease pump 65:1 "Well empty" for 1/1 drum	1	1/4" BSP Female	1200 gr/min at 10 bar		30509050























Pneumatiske olie pumper

Billede	Beskrivelse	Max tryk (Mpa)	Indløb	Capacity	Inlet Media	Model
	Kit grease pump 65:1 "Well empty" for 1/4 drum	1	1/4" BSP Female	1200 gr/min at 10 bar		30509850
	Pneumatic piston pump 3:1 for low/medium viscosity fluids such as anti freeze windscreen liquid and chemical liquids without tensides. Tube length 940 mm.	1	ISO-G1/4" Female	23 l/min		30581850**
	Pneumatic piston pump for wall installation 3:1 for low/medium viscosity fluids such as anti freeze windscreen liquid and chemical liquids without tensides. Tube length 940 mm. Hose length 1 600 mm.	1	ISO-G1/4" Female	24 l/min		30581950
	Grease pump 50:1 for lighter applications. Pump tube Ø30 mm, tube length 740 mm. For 20-30 kg drums.	0,8	1/4" BSP Female	800 gr/min at 6 bar		30583050
	Grease pump 50:1 for lighter applications. Pump tube Ø30 mm, tube length 480 mm. For 50-60 kg drums.	0,8	1/4" BSP Female	801 gr/min at 6 bar		30583150





*Luftforbrug - 600 l/min (0,8 Mpa)

**Min. Lufttryk 0,3 bar.

Pneumatiske olie pumper

	Tilbehør	Artikelnummer
	Luft sæt	30512150
	Slangesæt 1,8m, komplet	30511950
	Tilslutningsæt 4m, komplet	30500550
	Slangesæt 1"	30511850
	Sugeledningssæt HP 940mm	30580950
	Sugeledningssæt LP 940mm	30581150
	Tromletilslutning 42mm	30501150
	Toptilslutning	30580650
	Forlænger rør 500mm	30580450
	Forlænger rør 200mm	30580550
	Forlænger	30580350
	Fodtilslutning	30580250
	Tilbageslavsventil	30580150
	Filter	30599950
	Udtømningsæt 3/4"	30581650
	Wall Suctionkit with probes	30581750
	Komplet 1 1/4" filter	30594550
	Tromlelæg Ø 350 mm 20kg	30503550
	Tromlelæg Ø 420 mm 50kg	30503650
	Tromlelæg Ø 600 mm 180kg	30503750
	Tromlelæg 310mm	30593450
	Svingplade Ø 340	30503850

Pneumatiske olie pumper

Tilbehør		Artikelnummer
	Svingplade Ø 410	30503950
	Svingplade Ø 585	30504050
	Svingplade 310mm	30593550
	Kugleventil 3/8" fedt	30592250