FB Duct

FB ducting offers a complete range of diameters and accessories for easy-to-fix professional installations.

Manufactured from galvanised steel, which have smoother internal surfaces and provide greatly enhanced leak resistance, FB ducting offers an unbeatable solution for all general purpose dust extraction duties.

- BT for fast installation with no special tools, no painting, flexible working
- Easy to assemble installation components
- Neat slip duct connections to adapt and adjust ducting on site during installation
- Laser welded straight ducts for smoother surface and enhanced leak resistance
- Easy to extend or take apart completely for cleaning, reconfiguring or relocation

Nom du produit	FB Duct
Marchés	Europe (non UK), UK
Material	Galv
Typ konca A	FB
Dĺžka (jednotka)	m

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Duct

Désignation Article	Legacy Item No.	Length (for import)	Material Thickness	Priemer A	Dĺžka	Hmotnosť	[model]
Duct W Galv 0,7mm 80FB L=0,5m	RSVV-080-05	0,5	0,7mm	80	500	0,7	8240020588
Duct W Galv 0,7mm 80FB L=1m	RSVV-080-10	1	0,7mm	80	1000	1,39	8240020589
Duct W Galv 0,7mm 80FB L=1,5m	RSVV-080-15	1,5	0,7mm	80	1500	2,1	8240020590
Duct W Galv 0,7mm 80FB L=2m	RSAA-080-20	2	0,7mm	80	2000	2,77	8240020591
Duct W Galv 0,7mm 100FB L=0,5m	RSVV-100-05	0,5	0,7mm	100	500	0,88	8240020592
Duct W Galv 0,7mm 100FB L=1m	RSVV-100-10	1	0,7mm	100	1000	1,75	8240020593
Duct W Galv 0,7mm 100FB L=1,5m	RSVV-100-15	1,5	0,7mm	100	1500	2,6	8240020594
Duct W Galv 0,7mm 100FB L=2m	RSAA-100-20	2	0,7mm	100	2000	3,46	8240020595
Duct W Galv 0,7mm 120FB L=0,5m	RSVV-120-05	0,5	0,7mm	120	500	1,06	8240020596
Duct W Galv 0,7mm 120FB L=1m	RSVV-120-10	1	0,7mm	120	1000	2,1	8240020597
Duct W Galv 0,7mm 120FB L=1,5m	RSVV-120-15	1,5	0,7mm	120	1500	3,13	8240020598
Duct W Galv 0,7mm 120FB L=2m	RSAA-120-20	2	0,7mm	120	2000	4,15	8240020599
Duct W Galv 0,7mm 125FB L=0,5m	RSVV-125-05	0,5	0,7mm	125	500	1,11	8240020600
Duct W Galv 0,7mm 125FB L=1m	RSVV-125-10	1	0,7mm	125	1000	2,19	8240020601
Duct W Galv 0,7mm 125FB L=1,5m	RSVV-125-15	1,5	0,7mm	125	1500	3,26	8240020602
Duct W Galv 0,7mm 125FB L=2m	RSAA-125-20	2	0,7mm	125	2000	4,32	8240020603
Duct W Galv 0,7mm 140FB L=0,5m	RSVV-140-05	0,5	0,7mm	140	500	1,24	8240020604
Duct W Galv 0,7mm 140FB L=1m	RSVV-140-10	1	0,7mm	140	1000	2,45	8240020605
Duct W Galv 0,7mm 140FB L=1,5m	RSVV-140-15	1,5	0,7mm	140	1500	3,65	8240020606
Duct W Galv 0,7mm 140FB L=2m	RSAA-140-20	2	0,7mm	140	2000	4,84	8240020607
Duct W Galv 0,7mm 150FB L=0,5m	RSVV-150-05	0,5	0,7mm	150	500	1,32	8240020608
Duct W Galv 0,7mm 150FB L=1m	RSVV-150-10	1	0,7mm	150	1000	2,63	8240020609
Duct W Galv 0,7mm 150FB L=1,5m	RSVV-150-15	1,5	0,7mm	150	1500	3,91	8240020610
Duct W Galv 0,7mm 150FB L=2m	RSAA-150-20	2	0,7mm	150	2000	5,19	8240020611
Duct W Galv 0,7mm 160FB L=0,5m	RSVV-160-05	0,5	0,7mm	160	500	1,41	8240020612
Duct W Galv 0,7mm 160FB L=1m	RSVV-160-10	1	0,7mm	160	1000	2,8	8240020613
Duct W Galv 0,7mm 160FB L=1,5m	RSVV-160-15	1,5	0,7mm	160	1500	4,17	8240020614
Duct W Galv 0,7mm 160FB L=2m	RSAA-160-20	2	0,7mm	160	2000	5,53	8240020615
Duct W Galv 0,7mm 180FB L=0,5m	RSVV-180-05	0,5	0,7mm	180	500	1,58	8240020616
Duct W Galv 0,7mm 180FB L=1m	RSVV-180-10	1	0,7mm	180	1000	3,14	8240020617
Duct W Galv 0,7mm 180FB L=1,5m	RSVV-180-15	1,5	0,7mm	180	1500	4,69	8240020618
Duct W Galv 0,7mm 180FB L=2m	RSAA-180-20	2	0,7mm	180	2000	6,23	8240020619
Duct W Galv 0,7mm 200FB L=0,5m	RSVV-200-05	0,5	0,7mm	200	500	1,75	8240020620
Duct W Galv 0,7mm 200FB L=1m	RSVV-200-10	1	0,7mm	200	1000	3,49	8240020621
Duct W Galv 0,7mm 200FB L=1,5m	RSVV-200-15	1,5	0,7mm	200	1500	5,21	8240020622
Duct W Galv 0,7mm 200FB L=2m	RSAA-200-20	2	0,7mm	200	2000	6,92	8240020623
Duct W Galv 0,7mm 220FB L=0,5m	RSVV-220-05	0,5	0,7mm	220	500	2	8240020624
Duct W Galv 0,7mm 220FB L=1m	RSVV-220-10	1	0,7mm	220	1000	3,84	8240020625
Duct W Galv 0,7mm 220FB L=1,5m	RSVV-220-15	1,5	0,7mm	220	1500	5,79	8240020626

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Duct

Désignation Article	Legacy Item No.	Length (for import)	Material Thickness	Priemer A	Dĺžka	Hmotnosť	[model]
Duct W Galv 0,7mm 220FB L=2m	RSAA-220-20	2	0,7mm	220	2000	7,61	8240020627
Duct W Galv 0,7mm 225FB L=0,5m	RSVV-225-05	0,5	0,7mm	225	500	1,97	8240020628
Duct W Galv 0,7mm 225FB L=1m	RSVV-225-10	1	0,7mm	225	1000	3,92	8240020629
Duct W Galv 0,7mm 225FB L=1,5m	RSVV-225-15	1,5	0,7mm	225	1500	5,86	8240020630
Duct W Galv 0,7mm 225FB L=2m	RSAA-225-20	2	0,7mm	225	2000	7,78	8240020631
Duct W Galv 0,7mm 250FB L=0,5m	RSVV-250-05	0,5	0,7mm	250	500	2,18	8240020632
Duct W Galv 0,7mm 250FB L=1m	RSVV-250-10	1	0,7mm	250	1000	4,36	8240020633
Duct W Galv 0,7mm 250FB L=1,5m	RSVV-250-15	1,5	0,7mm	250	1500	6,51	8240020634
Duct W Galv 0,7mm 250FB L=2m	RSAA-250-20	2	0,7mm	250	2000	8,65	8240020635
Duct W Galv 0,7mm 300FB L=0,5m	RSVV-300-05	0,5	0,7mm	300	500	2,61	8240020636
Duct W Galv 0,7mm 300FB L=1m	RSVV-300-10	1	0,7mm	300	1000	5,22	8240020637
Duct W Galv 0,7mm 300FB L=1,5m	RSVV-300-15	1,5	0,7mm	300	1500	7,81	8240020638
Duct W Galv 0,7mm 300FB L=2m	RSAA-300-20	2	0,7mm	300	2000	10,38	8240020639
Duct W Galv 0,7mm 315FB L=0,5m	RSVV-315-05	0,5	0,7mm	315	500	2,74	8240020640
Duct W Galv 0,7mm 315FB L=1m	RSVV-315-10	1	0,7mm	315	1000	5,48	8240020641
Duct W Galv 0,7mm 315FB L=1,5m	RSVV-315-15	1,5	0,7mm	315	1500	8,2	8240020642
Duct W Galv 0,7mm 315FB L=2m	RSAA-315-20	2	0,7mm	315	2000	10,9	8240020643
Duct W Galv 0,7mm 350FB L=0,5m	RSVV-350-05	0,5	0,7mm	350	500	3,04	8240020644
Duct W Galv 0,7mm 350FB L=1m	RSVV-350-10	1	0,7mm	350	1000	6,09	8240020645
Duct W Galv 0,7mm 350FB L=1,5m	RSVV-350-15	1,5	0,7mm	350	1500	9,1	8240020646
Duct W Galv 0,7mm 350FB L=2m	RSAA-350-20	2	0,7mm	350	2000	12,11	8240020647
Duct W Galv 0,9mm 400FB L=0,5m	RSVV-400-05	0,5	0,9mm	400	500	4,45	8240020648
Duct W Galv 0,9mm 400FB L=1m	RSVV-400-10	1	0,9mm	400	1000	8,92	8240020649
Duct W Galv 0,9mm 400FB L=1,5m	RSVV-400-15	1,5	0,9mm	400	1500	13,35	8240020650
Duct W Galv 0,9mm 400FB L=2m	RSAA-400-20	2	0,9mm	400	2000	17,77	8240020651
Duct L Galv 0,9mm 450FB L=0,5m	RSAA-450-05	0,5	0,9mm	450	500	4,99	8240020652
Duct L Galv 0,9mm 450FB L=1m	RSAA-450-10	1	0,9mm	450	1000	10,02	8240020653
Duct L Galv 0,9mm 450FB L=2m	RSAA-450-20	2	0,9mm	450	2000	19,99	8240020654
Duct L Galv 0,9mm 500FB L=0,5m	RSAA-500-05	0,5	0,9mm	500	500	5,54	8240020655
Duct L Galv 0,9mm 500FB L=1m	RSAA-500-10	1	0,9mm	500	1000	11,14	8240020656
Duct L Galv 0,9mm 500FB L=2m	RSAA-500-20	2	0,9mm	500	2000	22,22	8240020657
Duct L Galv 0,9mm 550FB L=0,5m	RSAA-550-05	0,5	0,9mm	550	500	6,1	8240020658
Duct L Galv 0,9mm 550FB L=1m	RSAA-550-10	1	0,9mm	550	1000	12,25	8240020659
Duct L Galv 0,9mm 550FB L=2m	RSAA-550-20	2	0,9mm	550	2000	24,44	8240020660
Duct L Galv 0,9mm 600FB L=0,5m	RSAA-600-05	0,5	0,9mm	600	500	6,65	8240020661
Duct L Galv 0,9mm 600FB L=1m	RSAA-600-10	1	0,9mm	600	1000	13,36	8240020662
Duct L Galv 0,9mm 600FB L=2m	RSAA-600-20	2	0,9mm	600	2000	26,66	8240020663
Duct L Galv 0,9mm 630FB L=0,5m	RSAA-630-05	0,5	0,9mm	630	500	6,98	8240020664
Duct L Galv 0,9mm 630FB L=1m	RSAA-630-10	1	0,9mm	630	1000	14,03	8240020665

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Duct

Désignation Article	Legacy Item No.	Length (for import)	Material Thickness	Priemer A	Dĺžka	Hmotnosť	[model]
Duct L Galv 0,9mm 630FB L=2m	RSAA-630-20	2	0,9mm	630	2000	28	8240020666
Duct L Galv 0,9mm 650FB L=0,5m	RSAA-650-05	0,5	0,9mm	650	500	7,5	8240020667
Duct L Galv 0,9mm 650FB L=1m	RSAA-650-10	1	0,9mm	650	1000	14,7	8240020668
Duct L Galv 0,9mm 650FB L=2m	RSAA-650-20	2	0,9mm	650	2000	28,89	8240020669
Duct L Galv 0,9mm 700FB L=0,5m	RSAA-700-05	0,5	0,9mm	700	500	7,76	8240020670
Duct L Galv 0,9mm 700FB L=1m	RSAA-700-10	1	0,9mm	700	1000	15,59	8240020671
Duct L Galv 0,9mm 700FB L=2m	RSAA-700-20	2	0,9mm	700	2000	31,11	8240020672
Duct L Galv 0,9mm 750FB L=0,5m	RSAA-750-05	0,5	0,9mm	750	500	8,31	8240020673
Duct L Galv 0,9mm 750FB L=1m	RSAA-750-10	1	0,9mm	750	1000	16,7	8240020674
Duct L Galv 0,9mm 750FB L=2m	RSAA-750-20	2	0,9mm	750	2000	33,33	8240020675
Duct L Galv 0,9mm 800FB L=0,5m	RSAA-800-05	0,5	0,9mm	800	500	8,86	8240020676
Duct L Galv 0,9mm 800FB L=1m	RSAA-800-10	1	0,9mm	800	1000	17,82	8240020677
Duct L Galv 0,9mm 800FB L=2m	RSAA-800-20	2	0,9mm	800	2000	35,55	8240020678
Duct L Galv 0,9mm 850FB L=0,5m	RSAA-850-05	0,5	0,9mm	850	500	9,41	8240020679
Duct L Galv 0,9mm 850FB L=1m	RSAA-850-10	1	0,9mm	850	1000	18,93	8240020680
Duct L Galv 0,9mm 850FB L=2m	RSAA-850-20	2	0,9mm	850	2000	39,47	8240020681
Duct L Galv 0,9mm 900FB L=0,5m	RSAA-900-05	0,5	0,9mm	900	500	10,1	8240020682
Duct L Galv 0,9mm 900FB L=1m	RSAA-900-10	1	0,9mm	900	1000	20,53	8240020683
Duct L Galv 0,9mm 900FB L=2m	RSAA-900-20	2	0,9mm	900	2000	41,9	8240020684
Duct L Galv 0,9mm 950FB L=0,5m	RSAA-950-05	0,5	0,9mm	950	500	10,67	8240020685
Duct L Galv 0,9mm 950FB L=1m	RSAA-950-10	1	0,9mm	950	1000	21,62	8240020686
Duct L Galv 0,9mm 950FB L=2m	RSAA-950-20	2	0,9mm	950	2000	44,35	8240020687
Duct L Galv 0,9mm 1000FB L=0,5m	RSAA-1000-05	0,5	0,9mm	1000	500	8,76	8240020688
Duct L Galv 0,9mm 1000FB L=1m	RSAA-1000-10	1	0,9mm	1000	1000	17,73	8240020689
Duct L Galv 0,9mm 1000FB L=2m	RSAA-1000-20	2	0,9mm	1000	2000	36,94	8240020690
Duct W Galv 1,25mm 100FB L=2m		2	1,25mm	100	2000	6,11	8240020691
Duct W Galv 1,25mm 120FB L=2m		2	1,25mm	120	2000	7,35	8240020692
Duct W Galv 1,25mm 125FB L=2m		2	1,25mm	125	2000	7,66	8240020693
Duct W Galv 1,25mm 140FB L=2m		2	1,25mm	140	2000	8,59	8240020694
Duct W Galv 1,25mm 150FB L=2m		2	1,25mm	150	2000	9,21	8240020695
Duct W Galv 1,25mm 160FB L=2m		2	1,25mm	160	2000	9,84	8240020696
Duct W Galv 1,25mm 180FB L=2m		2	1,25mm	180	2000	11,09	8240020697
Duct W Galv 1,25mm 200FB L=2m		2	1,25mm	200	2000	12,34	8240020698
Duct W Galv 1,25mm 220FB L=2m		2	1,25mm	220	2000	13,59	8240020699
Duct W Galv 1,25mm 225FB L=2m		2	1,25mm	225	2000	13,9	8240020700
Duct W Galv 1,25mm 250FB L=2m		2	1,25mm	250	2000	15,47	8240020701
Duct W Galv 1,25mm 300FB L=2m		2	1,25mm	300	2000	18,61	8240020702
Duct W Galv 1,25mm 315FB L=2m		2	1,25mm	315	2000	19,56	8240020703
Duct W Galv 1,25mm 350FB L=2m		2	1,25mm	350	2000	21,77	8240020704

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Duct

Désignation Article	Legacy Item No.	Length (for import)	Material Thickness	Priemer A	Dĺžka	Hmotnosť	[model]
Duct W Galv 1,25mm 400FB L=2m		2	1,25mm	400	2000	24,94	8240020705
Duct L Galv 1,25mm 450FB L=2m		2	1,25mm	450	2000	28,12	8240020706
Duct L Galv 1,25mm 500FB L=2m		2	1,25mm	500	2000	31,31	8240020707
Duct L Galv 1,25mm 550FB L=2m		2	1,25mm	550	2000	34,51	8240020708
Duct L Galv 1,25mm 600FB L=2m		2	1,25mm	600	2000	37,73	8240020709
Duct L Galv 1,25mm 630FB L=2m		2	1,25mm	630	2000	39,67	8240020710
Duct L Galv 1,25mm 650FB L=2m		2	1,25mm	650	2000	40,96	8240020711
Duct L Galv 1,25mm 700FB L=2m		2	1,25mm	700	2000	44,2	8240020712
Duct L Galv 1,25mm 750FB L=2m		2	1,25mm	750	2000	47,45	8240020713
Duct L Galv 1,25mm 800FB L=2m		2	1,25mm	800	2000	50,71	8240020714
Duct L Galv 1,25mm 850FB L=2m		2	1,25mm	850	2000	53,98	8240020715
Duct L Galv 1,25mm 900FB L=2m		2	1,25mm	900	2000	57,27	8240020716
Duct L Galv 1,25mm 950FB L=2m		2	1,25mm	950	2000	60,57	8240020717
Duct L Galv 1,25mm 1000FB L=2m		2	1,25mm	1000	2000	63,88	8240020718

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB