

FB Duct

FB ducting offers a complete range of diameters and accessories for easy-to-fix professional installations.



Manufactured from galvanised steel, which have smoother internal surfaces and provide greatly enhanced leak resistance, FB ducting offers an unbeatable solution for all general purpose dust extraction duties.

- BT for fast installation with no special tools, no painting, flexible working
- Easy to assemble installation components
- Neat slip duct connections to adapt and adjust ducting on site during installation
- Laser welded straight ducts for smoother surface and enhanced leak resistance
- Easy to extend or take apart completely for cleaning, reconfiguring or relocation

Nom du produit	FB Duct
Connection	FB

FB Duct

Diameter (mm)	Length (m)	Thickness (mm)	[model]
80	0.5	0.7	8240020588
80	1	0.7	8240020589
80	1.5	0.7	8240020590
80	2	0.7	8240020591
100	0.5	0.7	8240020592
100	1	0.7	8240020593
100	1.5	0.7	8240020594
100	2	0.7	8240020595
120	0.5	0.7	8240020596
120	1	0.7	8240020597
120	1.5	0.7	8240020598
120	2	0.7	8240020599
125	0.5	0.7	8240020600
125	1	0.7	8240020601
125	1.5	0.7	8240020602
125	2	0.7	8240020603
140	0.5	0.7	8240020604
140	1	0.7	8240020605
140	1.5	0.7	8240020606
140	2	0.7	8240020607
150	0.5	0.7	8240020608
150	1	0.7	8240020609
150	1.5	0.7	8240020610
150	2	0.7	8240020611
160	0.5	0.7	8240020612
160	1	0.7	8240020613
160	1.5	0.7	8240020614
160	2	0.7	8240020615
180	0.5	0.7	8240020616
180	1	0.7	8240020617
180	1.5	0.7	8240020618
180	2	0.7	8240020619
200	0.5	0.7	8240020620
200	1	0.7	8240020621
200	1.5	0.7	8240020622
200	2	0.7	8240020623
220	0.5	0.7	8240020624
220	1	0.7	8240020625
220	1.5	0.7	8240020626
220	2	0.7	8240020627
225	0.5	0.7	8240020628
225	1	0.7	8240020629
225	1.5	0.7	8240020630
225	2	0.7	8240020631
250	0.5	0.7	8240020632
250	1	0.7	8240020633
250	1.5	0.7	8240020634
250	2	0.7	8240020635
300	0.5	0.7	8240020636
300	1	0.7	8240020637
300	1.5	0.7	8240020638
300	2	0.7	8240020639
315	0.5	0.7	8240020640
315	1	0.7	8240020641
315	1.5	0.7	8240020642
315	2	0.7	8240020643
350	0.5	0.7	8240020644
350	1	0.7	8240020645
350	1.5	0.7	8240020646
350	2	0.7	8240020647
400	0.5	0.9	8240020648
400	1	0.9	8240020649
400	1.5	0.9	8240020650

FB Duct

Diameter (mm)	Length (m)	Thickness (mm)	[model]
400	2	0.9	8240020651
450	0.5	0.9	8240020652
450	1	0.9	8240020653
450	2	0.9	8240020654
500	0.5	0.9	8240020655
500	1	0.9	8240020656
500	2	0.9	8240020657
550	0.5	0.9	8240020658
550	1	0.9	8240020659
550	2	0.9	8240020660
600	0.5	0.9	8240020661
600	1	0.9	8240020662
600	2	0.9	8240020663
630	0.5	0.9	8240020664
630	1	0.9	8240020665
630	2	0.9	8240020666
650	0.5	0.9	8240020667
650	1	0.9	8240020668
650	2	0.9	8240020669
700	0.5	0.9	8240020670
700	1	0.9	8240020671
700	2	0.9	8240020672
750	0.5	0.9	8240020673
750	1	0.9	8240020674
750	2	0.9	8240020675
800	0.5	0.9	8240020676
800	1	0.9	8240020677
800	2	0.9	8240020678
850	0.5	0.9	8240020679
850	1	0.9	8240020680
850	2	0.9	8240020681
900	0.5	0.9	8240020682
900	1	0.9	8240020683
900	2	0.9	8240020684
950	0.5	0.9	8240020685
950	1	0.9	8240020686
950	2	0.9	8240020687
1000	0.5	0.9	8240020688
1000	1	0.9	8240020689
1000	2	0.9	8240020690
100	2	1.25	8240020691
120	2	1.25	8240020692
125	2	1.25	8240020693
140	2	1.25	8240020694
150	2	1.25	8240020695
160	2	1.25	8240020696
180	2	1.25	8240020697
200	2	1.25	8240020698
220	2	1.25	8240020699
225	2	1.25	8240020700
250	2	1.25	8240020701
300	2	1.25	8240020702
315	2	1.25	8240020703
350	2	1.25	8240020704
400	2	1.25	8240020705
450	2	1.25	8240020706
500	2	1.25	8240020707
550	2	1.25	8240020708
600	2	1.25	8240020709
630	2	1.25	8240020710
650	2	1.25	8240020711
700	2	1.25	8240020712
750	2	1.25	8240020713

FB Duct

Diameter (mm)	Length (m)	Thickness (mm)	[model]
800	2	1.25	8240020714
850	2	1.25	8240020715
900	2	1.25	8240020716
950	2	1.25	8240020717
1000	2	1.25	8240020718