FB Pressed Bends

FB Pressed Bends with radius 1,5 x diameter to centerline.

Product name	FB Pressed Bends

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Pressed Bends

Description	Diameter (mm)	Weight (kg)	Radius	Model
Pressed Bend FB 15°	80	0,1	120	8210002889
Pressed Bend FB 15°	100	0,2	150	8210002894
Pressed Bend FB 15°	120	0,4	180	8210002899
Pressed Bend BF 15°	125	0,4	188	8210002904
Pressed Bend BF 15°	140	0,4	210	8210002909
Pressed Bend BF 15°	150	0,4	225	8210002914
Pressed Bend BF 15°	160	0,4	240	8210002919
Pressed Bend BF 15°	180	0,5	270	8210002924
Pressed Bend BF 15°	200	0,7	300	8210002929
Pressed Bend BF 15°	224	0,9	336	8210002938
Pressed Bend BF 15°	250	0,9	375	8210002943
Pressed Bend BF 15°	275	0,9	413	8210002948
Pressed Bend BF 15°	300	1,3	450	8210002953
Pressed Bend BF 15°	315	0,9	472	8210002958
Pressed Bend FB 30°	80	0,2	120	8210002890
Pressed Bend FB 30°	100	0,3	150	8210002895
Pressed Bend BF 30°	120	0,3	180	8210002900
Pressed Bend BF 30°	125	0,3	188	8210002905
Pressed Bend BF 30°	140	0,4	210	8210002910
Pressed Bend BF 30°	150	0,5	225	8210002915
Pressed Bend BF 30°	160	0,5	240	8210002920
Pressed Bend BF 30°	180	0,7	270	8210002925
Pressed Bend BF 30°	200	0,7	300	8210002930
Pressed Bend BF 30°	220	1	330	8210002934
Pressed Bend BF 30°	224	1,3	336	8210002939
Pressed Bend BF 30°	250	1,5	375	8210002944
Pressed Bend BF 30°	275	1,85	413	8210002949
Pressed Bend BF 30°	300	2,2	450	8210002954
Pressed Bend BF 30°	315	2,2	472	8210002959
Pressed Bend FB 45°	80	0,2	120	8210002891
Pressed Bend BF 45°	100	0,3	150	8210002896
Pressed Bend BF 45°	120	0,4	180	8210002901
Pressed Bend BF 45°	125	0,4	188	8210002906
Pressed Bend BF 45°	140	0,5	210	8210002911
Pressed Bend BF 45°	150	0,5	225	8210002916
Pressed Bend BF 45°	160	0,6	240	8210002921
Pressed Bend BF 45°	180	1	270	8210002926
Pressed Bend BF 45°	200	1	300	8210002931
Pressed Bend BF 45°	220	1,6	330	8210002935
Pressed Bend BF 45°	224	1,6	336	8210002940
Pressed Bend BF 45°	250	1,6	375	8210002945
Pressed Bend BF 45°	275	1,8	413	8210002950
Pressed Bend BF 45°	300	2,3	450	8210002955
Pressed Bend BF 45°	315	2,4	472	8210002960
Pressed Bend FB 60°	80	0,3	120	8210002892
Pressed Bend FB 60°	100	0,4	150	8210002897
Pressed Bend BF 60°	120	0,6	180	8210002902
Pressed Bend BF 60°	125	0,6	188	8210002907
Pressed Bend BF 60°	140	0,7	210	8210002912
Pressed Bend BF 60°	150	0,7	225	8210002917
Pressed Bend BF 60°	160	0,7	240	8210002922
Pressed Bend BF 60°	180	1,2	270	8210002927
Pressed Bend BF 60°	200	1,3	300	8210002932
Pressed Bend BF 60°	220	1,7	330	8210002936
Pressed Bend BF 60°	224	1,7	336	8210002941
Pressed Bend BF 60°	250	1,9	375	8210002946
Pressed Bend BF 60°	275	2,15	413	8210002951
Pressed Bend BF 60°	300	2,4	450	8210002956
Pressed Bend BF 60°	315	2,5	472	8210002961
Pressed Bend FB 90°	80	0,4	120	8210002893
Pressed Bend BF 90°	100	0,5	150	8210002898
Pressed Bend BF 90°	120	0,8	180	8210002903
Pressed Bend BF 90°	125	0,8	188	8210002908

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Pressed Bends

Description	Diameter (mm)	Weight (kg)	Radius	Model
Pressed Bend BF 90°	140	1	210	8210002913
Pressed Bend BF 90°	150	1,1	225	8210002918
Pressed Bend BF 90°	160	1,2	240	8210002923
Pressed Bend BF 90°	180	1,6	270	8210002928
Pressed Bend BF 90°	200	1,9	300	8210002933
Pressed Bend BF 90°	220	2,4	330	8210002937
Pressed Bend BF 90°	224	2,4	336	8210002942
Pressed Bend BF 90°	250	3	375	8210002947
Pressed Bend BF 90°	275	3,1	413	8210002952
Pressed Bend BF 90°	300	3,2	450	8210002957
Pressed Bend BF 90°	315	5	472	8210002962

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB