

## BSAD Mild Steel Bend (T = 2 mm)

Bend in Mild Steel

---



2 mm duct with clipped edge in steel quality SS 1312.  
Painted in RAL 7032 with Priming 50 µm, zinc content 70%.

For assembly use FSFE or FSDB clips.

---

Nom du produit	BSAD Mild Steel Bend (T = 2 mm)
Thickness (mm)	2

# BSAD Mild Steel Bend (T = 2 mm)

Diamètre (mm)	Radius	[model]
100	150	8210002247
100	150	8210002248
100	150	8210002249
100	150	8210002250
100	150	8210002251
120	180	8210002252
120	180	8210002253
120	180	8210002254
120	180	8210002255
120	180	8210002256
125	187,5	8210002257
125	187,5	8210002258
125	187,5	8210002259
125	187,5	8210002260
125	187,5	8210002261
140	210	8210002262
140	210	8210002263
140	210	8210002264
140	210	8210002265
140	210	8210002266
150	225	8210002267
150	225	8210002268
150	225	8210002269
150	225	8210002270
150	225	8210002271
160	240	8210002272
160	240	8210002273
160	240	8210002274
160	240	8210002275
160	240	8210002276
180	270	8210002277
180	270	8210002278
180	270	8210002279
180	270	8210002280
180	270	8210002281
200	300	8210002282
200	300	8210002283
200	300	8210002284
200	300	8210002285
200	300	8210002286
225	337,5	8210002287
225	337,5	8210002288
225	337,5	8210002289
225	337,5	8210002290
225	337,5	8210002291
250	375	8210002292
250	375	8210002293
250	375	8210002294
250	375	8210002295
250	375	8210002296
300	450	8210002297
300	450	8210002298
300	450	8210002299
300	450	8210002300
300	450	8210002301
315	472,5	8210002302
315	472,5	8210002303
315	472,5	8210002304
315	472,5	8210002305
315	472,5	8210002306
350	525	8210002307
350	525	8210002308
350	525	8210002309

# BSAD Mild Steel Bend (T = 2 mm)

Diamètre (mm)	Radius	[model]
350	525	8210002310
350	525	8210002311
400	600	8210002312
400	600	8210002313
400	600	8210002314
400	600	8210002315
400	600	8210002316
450	675	8210002317
450	675	8210002318
450	675	8210002319
450	675	8210002320
450	675	8210002321
500	750	8210002322
500	750	8210002323
500	750	8210002324
500	750	8210002325
500	750	8210002326
550	825	8210002327
550	825	8210002328
550	825	8210002329
550	825	8210002330
550	825	8210002331
600	900	8210002332
600	900	8210002333
600	900	8210002334
600	900	8210002335
600	900	8210002336
630	945	8210002337
630	945	8210002338
630	945	8210002339
630	945	8210002340
630	945	8210002341
650	975	8210002342
650	975	8210002343
650	975	8210002344
650	975	8210002345
650	975	8210002346
700	1050	8210002347
700	1050	8210002348
700	1050	8210002349
700	1050	8210002350
700	1050	8210002351
750	1125	8210002352
750	1125	8210002353
750	1125	8210002354
750	1125	8210002355
750	1125	8210002356
800	1200	8210002357
800	1200	8210002358
800	1200	8210002359
800	1200	8210002360
800	1200	8210002361
850	1275	8210002362
850	1275	8210002363
850	1275	8210002364
850	1275	8210002365
850	1275	8210002366
900	1350	8210002367
900	1350	8210002368
900	1350	8210002369
900	1350	8210002370
900	1350	8210002371
950	1425	8210002372

# BSAD Mild Steel Bend (T = 2 mm)

Diamètre (mm)	Radius	[model]
950	1425	8210002373
950	1425	8210002374
950	1425	8210002375
950	1425	8210002376
1000	1500	8210002377
1000	1500	8210002378
1000	1500	8210002379
1000	1500	8210002380
1000	1500	8210002381