# Rozgałęzienie FB

## Rozgałęzienie FB pod kątem 90°

| | |
|---|---|
| Nazwa produktu | Rozgałęzienie FB |
| Odpowiednie rynki | Europe (non UK), UK |
| Material | Galv |
| Końcówka typu A | FB |
| Końcówka typu B | FB |
| Końcówka typu C | FB |
| Stopień kąta | 30 |

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Rozgałęzienie FB

| Krótki opis | Legacy Item No. | Material Thickness | Średnica A | Średnica B | Średnica C | Waga | Model |
|---|---|---|---|---|---|---|---|
| Branch Std Galv 0,9mm 450FB 160FB 400FB 30deg | GSAA-451640 | 0,9mm | 450 | 160 | 400 | 6,24 | 8240006420 |
| Branch Std Galv 0,7mm 80FB 80FB 80FB 30deg | GSAA-080808 | 0,7mm | 80 | 80 | 80 | 0,77 | 8240005669 |
| Branch Std Galv 0,7mm 100FB 80FB 80FB 30deg | GSAA-100808 | 0,7mm | 100 | 80 | 80 | 1,05 | 8240005670 |
| Branch Std Galv 0,7mm 100FB 80FB 100FB 30deg | GSAA-100810 | 0,7mm | 100 | 80 | 100 | 1,31 | 8240005671 |
| Branch Std Galv 0,7mm 100FB 100FB 100FB 30deg | GSAA-101010 | 0,7mm | 100 | 100 | 100 | 0,9 | 8240005672 |
| Branch Std Galv 0,7mm 120FB 80FB 120FB 30deg | GSAA-120812 | 0,7mm | 120 | 80 | 120 | 1 | 8240005675 |
| Branch Std Galv 0,7mm 120FB 100FB 100FB 30deg | GSAA-121010 | 0,7mm | 120 | 100 | 100 | 1,24 | 8240005676 |
| Branch Std Galv 0,7mm 120FB 100FB 120FB 30deg | GSAA-121012 | 0,7mm | 120 | 100 | 120 | 1,02 | 8240005677 |
| Branch Std Galv 0,7mm 120FB 120FB 120FB 30deg | GSAA-121212 | 0,7mm | 120 | 120 | 120 | 1,01 | 8240005678 |
| Branch Std Galv 0,7mm 125FB 80FB 125FB 30deg | GSAA-130813 | 0,7mm | 125 | 80 | 125 | 1,03 | 8240005682 |
| Branch Std Galv 0,7mm 125FB 100FB 100FB 30deg | GSAA-131010 | 0,7mm | 125 | 100 | 100 | 1,26 | 8240005683 |
| Branch Std Galv 0,7mm 125FB 100FB 125FB 30deg | GSAA-131013 | 0,7mm | 125 | 100 | 125 | 1,04 | 8240005685 |
| Branch Std Galv 0,7mm 125FB 125FB 125FB 30deg | GSAA-131313 | 0,7mm | 125 | 125 | 125 | 1,04 | 8240005688 |
| Branch Std Galv 0,7mm 140FB 80FB 140FB 30deg | GSAA-140814 | 0,7mm | 140 | 80 | 140 | 1,12 | 8240005693 |
| Branch Std Galv 0,7mm 140FB 100FB 100FB 30deg | GSAA-141010 | 0,7mm | 140 | 100 | 100 | 1,33 | 8240005694 |
| Branch Std Galv 0,7mm 140FB 120FB 140FB 30deg | GSAA-141214 | 0,7mm | 140 | 120 | 140 | 1,12 | 8240005700 |
| Branch Std Galv 0,7mm 140FB 125FB 140FB 30deg | GSAA-141314 | 0,7mm | 140 | 125 | 140 | 2 | 8240005702 |
| Branch Std Galv 0,7mm 140FB 140FB 140FB 30deg | GSAA-141414 | 0,7mm | 140 | 140 | 140 | 1,62 | 8240005703 |
| Branch Std Galv 0,7mm 150FB 80FB 150FB 30deg | GSAA-150815 | 0,7mm | 150 | 80 | 150 | 1,18 | 8240005709 |
| Branch Std Galv 0,7mm 150FB 100FB 150FB 30deg | GSAA-151015 | 0,7mm | 150 | 100 | 150 | 1,19 | 8240005714 |
| Branch Std Galv 0,7mm 150FB 120FB 120FB 30deg | GSAA-151212 | 0,7mm | 150 | 120 | 120 | 1,45 | 8240005715 |
| Branch Std Galv 0,7mm 150FB 120FB 150FB 30deg | GSAA-151215 | 0,7mm | 150 | 120 | 150 | 1,18 | 8240005718 |
| Branch Std Galv 0,7mm 150FB 125FB 150FB 30deg | GSAA-151315 | 0,7mm | 150 | 125 | 150 | 1,43 | 8240005721 |
| Branch Std Galv 0,7mm 150FB 150FB 150FB 30deg | GSAA-151515 | 0,7mm | 150 | 150 | 150 | 1,69 | 8240005724 |
| Branch Std Galv 0,7mm 160FB 80FB 160FB 30deg | GSAA-160816 | 0,7mm | 160 | 80 | 160 | 1,24 | 8240005731 |
| Branch Std Galv 0,7mm 160FB 100FB 100FB 30deg | GSAA-161010 | 0,7mm | 160 | 100 | 100 | 1,42 | 8240005732 |
| Branch Std Galv 0,7mm 160FB 100FB 160FB 30deg | GSAA-161016 | 0,7mm | 160 | 100 | 160 | 1,25 | 8240005737 |
| Branch Std Galv 0,7mm 160FB 120FB 160FB 30deg | GSAA-161216 | 0,7mm | 160 | 120 | 160 | 1,24 | 8240005742 |

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Rozgałęzienie FB

| Krótki opis | Legacy Item No. | Material Thickness | Średnica A | Średnica B | Średnica C | Waga | Model |
|---|---|---|---|---|---|---|---|
| Branch Std Galv 0,7mm 160FB 125FB 125FB 30deg | GSAA-161313 | 0,7mm | 160 | 125 | 125 | 1,75 | 8240005743 |
| Branch Std Galv 0,7mm 160FB 125FB 160FB 30deg | GSAA-161316 | 0,7mm | 160 | 125 | 160 | 1,49 | 8240005746 |
| Branch Std Galv 0,7mm 160FB 160FB 160FB 30deg | GSAA-161616 | 0,7mm | 160 | 160 | 160 | 1,75 | 8240005752 |
| Branch Std Galv 0,7mm 180FB 80FB 180FB 30deg | GSAA-180818 | 0,7mm | 180 | 80 | 180 | 1,36 | 8240005760 |
| Branch Std Galv 0,7mm 180FB 100FB 180FB 30deg | GSAA-181018 | 0,7mm | 180 | 100 | 180 | 1,37 | 8240005767 |
| Branch Std Galv 0,7mm 180FB 120FB 180FB 30deg | GSAA-181218 | 0,7mm | 180 | 120 | 180 | 1,36 | 8240005773 |
| Branch Std Galv 0,7mm 180FB 125FB 180FB 30deg | GSAA-181318 | 0,7mm | 180 | 125 | 180 | 1,63 | 8240005778 |
| Branch Std Galv 0,7mm 180FB 150FB 180FB 30deg | GSAA-181518 | 0,7mm | 180 | 150 | 180 | 1,91 | 8240005785 |
| Branch Std Galv 0,7mm 180FB 180FB 180FB 30deg | GSAA-181818 | 0,7mm | 180 | 180 | 180 | 2,54 | 8240005788 |
| Branch Std Galv 0,7mm 200FB 80FB 200FB 30deg | GSAA-200820 | 0,7mm | 200 | 80 | 200 | 1,48 | 8240005797 |
| Branch Std Galv 0,7mm 200FB 100FB 200FB 30deg | GSAA-201020 | 0,7mm | 200 | 100 | 200 | 1,49 | 8240005805 |
| Branch Std Galv 0,7mm 200FB 120FB 200FB 30deg | GSAA-201220 | 0,7mm | 200 | 120 | 200 | 1,47 | 8240005812 |
| Branch Std Galv 0,7mm 200FB 125FB 125FB 30deg | GSAA-201313 | 0,7mm | 200 | 125 | 125 | 1,96 | 8240005813 |
| Branch Std Galv 0,7mm 200FB 125FB 200FB 30deg | GSAA-201320 | 0,7mm | 200 | 125 | 200 | 1,76 | 8240005818 |
| Branch Std Galv 0,7mm 200FB 150FB 200FB 30deg | GSAA-201520 | 0,7mm | 200 | 150 | 200 | 2,05 | 8240005827 |
| Branch Std Galv 0,7mm 200FB 160FB 160FB 30deg | GSAA-201616 | 0,7mm | 200 | 160 | 160 | 2,38 | 8240005828 |
| Branch Std Galv 0,7mm 200FB 160FB 200FB 30deg | GSAA-201620 | 0,7mm | 200 | 160 | 200 | 2,05 | 8240005830 |
| Branch Std Galv 0,7mm 200FB 200FB 200FB 30deg | GSAA-202020 | 0,7mm | 200 | 200 | 200 | 2,7 | 8240005833 |
| Branch Std Galv 0,7mm 225FB 100FB 100FB 30deg | GSAA-231010 | 0,7mm | 225 | 100 | 100 | 1,73 | 8240005844 |
| Branch Std Galv 0,7mm 225FB 100FB 225FB 30deg | GSAA-231023 | 0,7mm | 225 | 100 | 225 | 1,63 | 8240005852 |
| Branch Std Galv 0,7mm 225FB 120FB 225FB 30deg | GSAA-231223 | 0,7mm | 225 | 120 | 225 | 1,62 | 8240005860 |
| Branch Std Galv 0,7mm 225FB 125FB 225FB 30deg | GSAA-231323 | 0,7mm | 225 | 125 | 225 | 1,93 | 8240005867 |
| Branch Std Galv 0,7mm 225FB 150FB 225FB 30deg | GSAA-231523 | 0,7mm | 225 | 150 | 225 | 2,24 | 8240005878 |
| Branch Std Galv 0,7mm 225FB 160FB 225FB 30deg | GSAA-231623 | 0,7mm | 225 | 160 | 225 | 3,15 | 8240005882 |
| Branch Std Galv 0,7mm 225FB 225FB 225FB 30deg | GSAA-232323 | 0,7mm | 225 | 225 | 225 | 3,29 | 8240005888 |
| Branch Std Galv 0,7mm 250FB 80FB 200FB 30deg | GSAA-250820 | 0,7mm | 250 | 80 | 200 | 2,19 | 8240005897 |
| Branch Std Galv 0,7mm 250FB 80FB 250FB 30deg | GSAA-250825 | 0,7mm | 250 | 80 | 250 | 1,78 | 8240005899 |
| Branch Std Galv 0,7mm 250FB 100FB 100FB 30deg | GSAA-251010 | 0,7mm | 250 | 100 | 100 | 1,85 | 8240005900 |

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Rozgałęzienie FB

| Krótki opis | Legacy Item No. | Material Thickness | Średnica A | Średnica B | Średnica C | Waga | Model |
|---|---|---|---|---|---|---|---|
| Branch Std Galv 0,7mm 250FB 100FB 250FB 30deg | GSAA-251025 | 0,7mm | 250 | 100 | 250 | 1,78 | 8240005909 |
| Branch Std Galv 0,7mm 250FB 100FB 200FB 30deg | GSAA-251020 | 0,7mm | 250 | 100 | 200 | 2,21 | 8240005907 |
| Branch Std Galv 0,7mm 250FB 120FB 200FB 30deg | GSAA-251220 | 0,7mm | 250 | 120 | 200 | 2,21 | 8240005916 |
| Branch Std Galv 0,7mm 250FB 120FB 250FB 30deg | GSAA-251225 | 0,7mm | 250 | 120 | 250 | 1,77 | 8240005918 |
| Branch Std Galv 0,7mm 250FB 125FB 200FB 30deg | GSAA-251320 | 0,7mm | 250 | 125 | 200 | 2,52 | 8240005924 |
| Branch Std Galv 0,7mm 250FB 125FB 250FB 30deg | GSAA-251325 | 0,7mm | 250 | 125 | 250 | 2,1 | 8240005926 |
| Branch Std Galv 0,7mm 250FB 150FB 200FB 30deg | GSAA-251520 | 0,7mm | 250 | 150 | 200 | 2,84 | 8240005937 |
| Branch Std Galv 0,7mm 250FB 150FB 250FB 30deg | GSAA-251525 | 0,7mm | 250 | 150 | 250 | 2,43 | 8240005939 |
| Branch Std Galv 0,7mm 250FB 160FB 160FB 30deg | GSAA-251616 | 0,7mm | 250 | 160 | 160 | 2,68 | 8240005940 |
| Branch Std Galv 0,7mm 250FB 160FB 250FB 30deg | GSAA-251625 | 0,7mm | 250 | 160 | 250 | 2,42 | 8240005944 |
| Branch Std Galv 0,7mm 250FB 200FB 250FB 30deg | GSAA-252025 | 0,7mm | 250 | 200 | 250 | 3,14 | 8240005951 |
| Branch Std Galv 0,7mm 250FB 250FB 250FB 30deg | GSAA-252525 | 0,7mm | 250 | 250 | 250 | 4,86 | 8240005954 |
| Branch Std Galv 0,7mm 300FB 100FB 300FB 30deg | GSAA-301030 | 0,7mm | 300 | 100 | 300 | 2,08 | 8240006032 |
| Branch Std Galv 0,7mm 300FB 120FB 250FB 30deg | GSAA-301225 | 0,7mm | 300 | 120 | 250 | 2,63 | 8240006041 |
| Branch Std Galv 0,7mm 300FB 120FB 300FB 30deg | GSAA-301230 | 0,7mm | 300 | 120 | 300 | 2,07 | 8240006043 |
| Branch Std Galv 0,7mm 300FB 125FB 300FB 30deg | GSAA-301330 | 0,7mm | 300 | 125 | 300 | 2,44 | 8240006053 |
| Branch Std Galv 0,7mm 300FB 150FB 300FB 30deg | GSAA-301530 | 0,7mm | 300 | 150 | 300 | 2,81 | 8240006070 |
| Branch Std Galv 0,7mm 300FB 160FB 250FB 30deg | GSAA-301625 | 0,7mm | 300 | 160 | 250 | 3,33 | 8240006075 |
| Branch Std Galv 0,7mm 300FB 160FB 300FB 30deg | GSAA-301630 | 0,7mm | 300 | 160 | 300 | 2,8 | 8240006077 |
| Branch Std Galv 0,7mm 300FB 200FB 300FB 30deg | GSAA-302030 | 0,7mm | 300 | 200 | 300 | 3,6 | 8240006088 |
| Branch Std Galv 0,7mm 300FB 300FB 300FB 30deg | GSAA-303030 | 0,7mm | 300 | 300 | 300 | 5,4 | 8240006098 |
| Branch Std Galv 0,7mm 315FB 100FB 315FB 30deg | GSAA-321032 | 0,7mm | 315 | 100 | 315 | 2,17 | 8240006111 |
| Branch Std Galv 0,7mm 315FB 120FB 315FB 30deg | GSAA-321232 | 0,7mm | 315 | 120 | 315 | 2,16 | 8240006123 |
| Branch Std Galv 0,7mm 315FB 125FB 200FB 30deg | GSAA-321320 | 0,7mm | 315 | 125 | 200 | 2,87 | 8240006129 |
| Branch Std Galv 0,7mm 315FB 125FB 250FB 30deg | GSAA-321325 | 0,7mm | 315 | 125 | 250 | 3,06 | 8240006131 |
| Branch Std Galv 0,7mm 315FB 125FB 315FB 30deg | GSAA-321332 | 0,7mm | 315 | 125 | 315 | 2,54 | 8240006134 |
| Branch Std Galv 0,7mm 315FB 150FB 315FB 30deg | GSAA-321532 | 0,7mm | 315 | 150 | 315 | 2,93 | 8240006153 |
| Branch Std Galv 0,7mm 315FB 160FB 200FB 30deg | GSAA-321620 | 0,7mm | 315 | 160 | 200 | 3,23 | 8240006156 |

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Rozgałęzienie FB

| Krótki opis | Legacy Item No. | Material Thickness | Średnica A | Średnica B | Średnica C | Waga | Model |
|---|---|---|---|---|---|---|---|
| Branch Std Galv 0,7mm 315FB 315FB 315FB 30deg | GSAA-323232 | 0,7mm | 315 | 315 | 315 | 6,69 | 8240006189 |
| Branch Std Galv 0,7mm 350FB 120FB 250FB 30deg | GSAA-351225 | 0,7mm | 350 | 120 | 250 | 2,89 | 8240006198 |
| Branch Std Galv 0,7mm 350FB 120FB 300FB 30deg | GSAA-351230 | 0,7mm | 350 | 120 | 300 | 3,05 | 8240006200 |
| Branch Std Galv 0,7mm 350FB 120FB 350FB 30deg | GSAA-351235 | 0,7mm | 350 | 120 | 350 | 2,37 | 8240006202 |
| Branch Std Galv 0,7mm 350FB 125FB 250FB 30deg | GSAA-351325 | 0,7mm | 350 | 125 | 250 | 3,26 | 8240006210 |
| Branch Std Galv 0,7mm 350FB 125FB 300FB 30deg | GSAA-351330 | 0,7mm | 350 | 125 | 300 | 3,44 | 8240006212 |
| Branch Std Galv 0,7mm 350FB 125FB 350FB 30deg | GSAA-351335 | 0,7mm | 350 | 125 | 350 | 2,78 | 8240006214 |
| Branch Std Galv 0,7mm 315FB 160FB 250FB 30deg | GSAA-321625 | 0,7mm | 315 | 160 | 250 | 3,43 | 8240006158 |
| Branch Std Galv 0,7mm 315FB 160FB 315FB 30deg | GSAA-321632 | 0,7mm | 315 | 160 | 315 | 2,91 | 8240006161 |
| Branch Std Galv 0,7mm 350FB 150FB 250FB 30deg | GSAA-351525 | 0,7mm | 350 | 150 | 250 | 3,65 | 8240006231 |
| Branch Std Galv 0,7mm 350FB 150FB 300FB 30deg | GSAA-351530 | 0,7mm | 350 | 150 | 300 | 3,85 | 8240006233 |
| Branch Std Galv 0,7mm 350FB 150FB 350FB 30deg | GSAA-351535 | 0,7mm | 350 | 150 | 350 | 3,19 | 8240006235 |
| Branch Std Galv 0,7mm 350FB 160FB 250FB 30deg | GSAA-351625 | 0,7mm | 350 | 160 | 250 | 3,64 | 8240006240 |
| Branch Std Galv 0,7mm 350FB 160FB 300FB 30deg | GSAA-351630 | 0,7mm | 350 | 160 | 300 | 3,84 | 8240006242 |
| Branch Std Galv 0,7mm 350FB 160FB 350FB 30deg | GSAA-351635 | 0,7mm | 350 | 160 | 350 | 3,18 | 8240006244 |
| Branch Std Galv 0,7mm 350FB 200FB 250FB 30deg | GSAA-352025 | 0,7mm | 350 | 200 | 250 | 4,48 | 8240006255 |
| Branch Std Galv 0,7mm 350FB 200FB 350FB 30deg | GSAA-352035 | 0,7mm | 350 | 200 | 350 | 4,06 | 8240006259 |
| Branch Std Galv 0,7mm 350FB 250FB 350FB 30deg | GSAA-352535 | 0,7mm | 350 | 250 | 350 | 6,09 | 8240006270 |
| Branch Std Galv 0,7mm 350FB 350FB 350FB 30deg | GSAA-353535 | 0,7mm | 350 | 350 | 350 | 8,38 | 8240006280 |
| Branch Std Galv 0,9mm 400FB 120FB 400FB 30deg | GSAA-401240 | 0,9mm | 400 | 120 | 400 | 3,44 | 8240006294 |
| Branch Std Galv 0,9mm 400FB 120FB 350FB 30deg | GSAA-401235 | 0,9mm | 400 | 120 | 350 | 4,48 | 8240006293 |
| Branch Std Galv 0,9mm 400FB 125FB 300FB 30deg | GSAA-401330 | 0,9mm | 400 | 125 | 300 | 4,8 | 8240006304 |
| Branch Std Galv 0,9mm 400FB 125FB 350FB 30deg | GSAA-401335 | 0,9mm | 400 | 125 | 350 | 5,04 | 8240006306 |
| Branch Std Galv 0,9mm 400FB 125FB 400FB 30deg | GSAA-401340 | 0,9mm | 400 | 125 | 400 | 4,03 | 8240006307 |
| Branch Std Galv 0,9mm 400FB 150FB 350FB 30deg | GSAA-401535 | 0,9mm | 400 | 150 | 350 | 5,61 | 8240006329 |
| Branch Std Galv 0,9mm 400FB 150FB 400FB 30deg | GSAA-401540 | 0,9mm | 400 | 150 | 400 | 4,61 | 8240006330 |
| Branch Std Galv 0,9mm 400FB 160FB 300FB 30deg | GSAA-401630 | 0,9mm | 400 | 160 | 300 | 5,35 | 8240006337 |
| Branch Std Galv 0,9mm 400FB 160FB 350FB 30deg | GSAA-401635 | 0,9mm | 400 | 160 | 350 | 5,59 | 8240006339 |

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Rozgałęzienie FB

| Krótki opis | Legacy Item No. | Material Thickness | Średnica A | Średnica B | Średnica C | Waga | Model |
|---|---|---|---|---|---|---|---|
| Branch Std Galv 0,9mm 400FB 160FB 400FB 30deg | GSAA-401640 | 0,9mm | 400 | 160 | 400 | 4,59 | 8240006340 |
| Branch Std Galv 0,9mm 400FB 200FB 300FB 30deg | GSAA-402030 | 0,9mm | 400 | 200 | 300 | 6,51 | 8240006354 |
| Branch Std Galv 0,9mm 400FB 200FB 400FB 30deg | GSAA-402040 | 0,9mm | 400 | 200 | 400 | 5,83 | 8240006357 |
| Branch Std Galv 0,9mm 400FB 225FB 300FB 30deg | GSAA-402330 | 0,9mm | 400 | 225 | 300 | 7,13 | 8240006361 |
| Branch Std Galv 0,9mm 400FB 250FB 400FB 30deg | GSAA-402540 | 0,9mm | 400 | 250 | 400 | 8,64 | 8240006370 |
| Branch Std Galv 0,9mm 400FB 315FB 400FB 30deg | GSAA-403240 | 0,9mm | 400 | 315 | 400 | 10,11 | 8240006382 |
| Branch Std Galv 0,9mm 400FB 400FB 400FB 30deg | GSAA-404040 | 0,9mm | 400 | 400 | 400 | 13,47 | 8240006385 |
| Branch Std Galv 0,9mm 450FB 150FB 350FB 30deg | GSAA-451535 | 0,9mm | 450 | 150 | 350 | 6 | 8240006408 |
| Branch Std Galv 0,9mm 450FB 150FB 450FB 30deg | GSAA-451545 | 0,9mm | 450 | 150 | 450 | 5,11 | 8240006410 |
| Branch Std Galv 0,9mm 450FB 160FB 350FB 30deg | GSAA-451635 | 0,9mm | 450 | 160 | 350 | 6,01 | 8240006419 |
| Branch Std Galv 0,9mm 450FB 160FB 450FB 30deg | GSAA-451645 | 0,9mm | 450 | 160 | 450 | 5,09 | 8240006421 |
| Branch Std Galv 0,9mm 450FB 200FB 400FB 30deg | GSAA-452040 | 0,9mm | 450 | 200 | 400 | 7,55 | 8240006439 |
| Branch Std Galv 0,9mm 450FB 200FB 350FB 30deg | GSAA-452035 | 0,9mm | 450 | 200 | 350 | 7,27 | 8240006438 |
| Branch Std Galv 0,9mm 450FB 200FB 450FB 30deg | GSAA-452045 | 0,9mm | 450 | 200 | 450 | 6,43 | 8240006440 |
| Branch Std Galv 0,9mm 450FB 225FB 450FB 30deg | GSAA-452345 | 0,9mm | 450 | 225 | 450 | 7,12 | 8240006448 |
| Branch Std Galv 0,9mm 450FB 250FB 400FB 30deg | GSAA-452540 | 0,9mm | 450 | 250 | 400 | 10,49 | 8240006454 |
| Branch Std Galv 0,9mm 450FB 450FB 450FB 30deg | GSAA-454545 | 0,9mm | 450 | 450 | 450 | 18,6 | 8240006476 |
| Branch Std Galv 0,9mm 500FB 150FB 500FB 30deg | GSAA-501550 | 0,9mm | 500 | 150 | 500 | 5,61 | 8240006489 |
| Branch Std Galv 0,9mm 500FB 160FB 450FB 30deg | GSAA-501645 | 0,9mm | 500 | 160 | 450 | 6,89 | 8240006500 |
| Branch Std Galv 0,9mm 500FB 160FB 500FB 30deg | GSAA-501650 | 0,9mm | 500 | 160 | 500 | 5,59 | 8240006501 |
| Branch Std Galv 0,9mm 500FB 200FB 400FB 30deg | GSAA-502040 | 0,9mm | 500 | 200 | 400 | 8,04 | 8240006520 |
| Branch Std Galv 0,9mm 500FB 200FB 450FB 30deg | GSAA-502045 | 0,9mm | 500 | 200 | 450 | 8,32 | 8240006521 |
| Branch Std Galv 0,9mm 500FB 200FB 500FB 30deg | GSAA-502050 | 0,9mm | 500 | 200 | 500 | 7,03 | 8240006522 |
| Branch Std Galv 0,9mm 500FB 225FB 450FB 30deg | GSAA-502345 | 0,9mm | 500 | 225 | 450 | 9,04 | 8240006530 |
| Branch Std Galv 0,9mm 500FB 225FB 500FB 30deg | GSAA-502350 | 0,9mm | 500 | 225 | 500 | 7,77 | 8240006531 |
| Branch Std Galv 0,9mm 500FB 250FB 450FB 30deg | GSAA-502545 | 0,9mm | 500 | 250 | 450 | 11,46 | 8240006538 |

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

# Rozgałęzienie FB




L1 = (Ø2 x 2) + 236
L2 = (Ø2 / 2) + 58
Ø3 must be smaller than or equal to Ø1
Ø2 must be smaller than or equal to Ø3

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB