FB Branch

Branches (30 degrees) for FB ducting

Наименование товара	FB Branch
Подходящие сегменты рынка	Europe (non UK), UK
Material	Galv
Конец типа A	FB
Конец типа Б	FB
Конец типа C	FB
Угол Степень	30

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Branch

Краткое описание	Legacy Item No.	Material Thickness	Диаметр A	Диаметр Б	Диаметр C	Масса	[model]
Branch Std Galv 0,9mm 450FB 160FB 400FB 30deg	GSAA-451640	0,9mm	450	160	400	6,24	8240006420
Branch Std Galv 0,7mm 80FB 80FB 80FB 30deg	GSAA-080808	0,7mm	80	80	80	0,77	8240005669
Branch Std Galv 0,7mm 100FB 80FB 80FB 30deg	GSAA-100808	0,7mm	100	80	80	1,05	8240005670
Branch Std Galv 0,7mm 100FB 80FB 100FB 30deg	GSAA-100810	0,7mm	100	80	100	1,31	8240005671
Branch Std Galv 0,7mm 100FB 100FB 100FB 30deg	GSAA-101010	0,7mm	100	100	100	0,9	8240005672
Branch Std Galv 0,7mm 120FB 80FB 120FB 30deg	GSAA-120812	0,7mm	120	80	120	1	8240005675
Branch Std Galv 0,7mm 120FB 100FB 100FB 30deg	GSAA-121010	0,7mm	120	100	100	1,24	8240005676
Branch Std Galv 0,7mm 120FB 100FB 120FB 30deg	GSAA-121012	0,7mm	120	100	120	1,02	8240005677
Branch Std Galv 0,7mm 120FB 120FB 120FB 30deg	GSAA-121212	0,7mm	120	120	120	1,01	8240005678
Branch Std Galv 0,7mm 125FB 80FB 125FB 30deg	GSAA-130813	0,7mm	125	80	125	1,03	8240005682
Branch Std Galv 0,7mm 125FB 100FB 100FB 30deg	GSAA-131010	0,7mm	125	100	100	1,26	8240005683
Branch Std Galv 0,7mm 125FB 100FB 125FB 30deg	GSAA-131013	0,7mm	125	100	125	1,04	8240005685
Branch Std Galv 0,7mm 125FB 125FB 125FB 30deg	GSAA-131313	0,7mm	125	125	125	1,04	8240005688
Branch Std Galv 0,7mm 140FB 80FB 140FB 30deg	GSAA-140814	0,7mm	140	80	140	1,12	8240005693
Branch Std Galv 0,7mm 140FB 100FB 100FB 30deg	GSAA-141010	0,7mm	140	100	100	1,33	8240005694
Branch Std Galv 0,7mm 140FB 120FB 140FB 30deg	GSAA-141214	0,7mm	140	120	140	1,12	8240005700
Branch Std Galv 0,7mm 140FB 125FB 140FB 30deg	GSAA-141314	0,7mm	140	125	140	2	8240005702
Branch Std Galv 0,7mm 140FB 140FB 140FB 30deg	GSAA-141414	0,7mm	140	140	140	1,62	8240005703
Branch Std Galv 0,7mm 150FB 80FB 150FB 30deg	GSAA-150815	0,7mm	150	80	150	1,18	8240005709
Branch Std Galv 0,7mm 150FB 100FB 150FB 30deg	GSAA-151015	0,7mm	150	100	150	1,19	8240005714
Branch Std Galv 0,7mm 150FB 120FB 120FB 30deg	GSAA-151212	0,7mm	150	120	120	1,45	8240005715
Branch Std Galv 0,7mm 150FB 120FB 150FB 30deg	GSAA-151215	0,7mm	150	120	150	1,18	8240005718
Branch Std Galv 0,7mm 150FB 125FB 150FB 30deg	GSAA-151315	0,7mm	150	125	150	1,43	8240005721
Branch Std Galv 0,7mm 150FB 150FB 150FB 30deg	GSAA-151515	0,7mm	150	150	150	1,69	8240005724
Branch Std Galv 0,7mm 160FB 80FB 160FB 30deg	GSAA-160816	0,7mm	160	80	160	1,24	8240005731
Branch Std Galv 0,7mm 160FB 100FB 100FB 30deg	GSAA-161010	0,7mm	160	100	100	1,42	8240005732
Branch Std Galv 0,7mm 160FB 100FB 160FB 30deg	GSAA-161016	0,7mm	160	100	160	1,25	8240005737
Branch Std Galv 0,7mm 160FB 120FB 160FB 30deg	GSAA-161216	0,7mm	160	120	160	1,24	8240005742

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Branch

Краткое описание	Legacy Item No.	Material Thickness	Диаметр A	Диаметр Б	Диаметр C	Масса	[model]
Branch Std Galv 0,7mm 160FB 125FB 125FB 30deg	GSAA-161313	0,7mm	160	125	125	1,75	8240005743
Branch Std Galv 0,7mm 160FB 125FB 160FB 30deg	GSAA-161316	0,7mm	160	125	160	1,49	8240005746
Branch Std Galv 0,7mm 160FB 160FB 160FB 30deg	GSAA-161616	0,7mm	160	160	160	1,75	8240005752
Branch Std Galv 0,7mm 180FB 80FB 180FB 30deg	GSAA-180818	0,7mm	180	80	180	1,36	8240005760
Branch Std Galv 0,7mm 180FB 100FB 180FB 30deg	GSAA-181018	0,7mm	180	100	180	1,37	8240005767
Branch Std Galv 0,7mm 180FB 120FB 180FB 30deg	GSAA-181218	0,7mm	180	120	180	1,36	8240005773
Branch Std Galv 0,7mm 180FB 125FB 180FB 30deg	GSAA-181318	0,7mm	180	125	180	1,63	8240005778
Branch Std Galv 0,7mm 180FB 150FB 180FB 30deg	GSAA-181518	0,7mm	180	150	180	1,91	8240005785
Branch Std Galv 0,7mm 180FB 180FB 180FB 30deg	GSAA-181818	0,7mm	180	180	180	2,54	8240005788
Branch Std Galv 0,7mm 200FB 80FB 200FB 30deg	GSAA-200820	0,7mm	200	80	200	1,48	8240005797
Branch Std Galv 0,7mm 200FB 100FB 200FB 30deg	GSAA-201020	0,7mm	200	100	200	1,49	8240005805
Branch Std Galv 0,7mm 200FB 120FB 200FB 30deg	GSAA-201220	0,7mm	200	120	200	1,47	8240005812
Branch Std Galv 0,7mm 200FB 125FB 125FB 30deg	GSAA-201313	0,7mm	200	125	125	1,96	8240005813
Branch Std Galv 0,7mm 200FB 125FB 200FB 30deg	GSAA-201320	0,7mm	200	125	200	1,76	8240005818
Branch Std Galv 0,7mm 200FB 150FB 200FB 30deg	GSAA-201520	0,7mm	200	150	200	2,05	8240005827
Branch Std Galv 0,7mm 200FB 160FB 160FB 30deg	GSAA-201616	0,7mm	200	160	160	2,38	8240005828
Branch Std Galv 0,7mm 200FB 160FB 200FB 30deg	GSAA-201620	0,7mm	200	160	200	2,05	8240005830
Branch Std Galv 0,7mm 200FB 200FB 200FB 30deg	GSAA-202020	0,7mm	200	200	200	2,7	8240005833
Branch Std Galv 0,7mm 225FB 100FB 100FB 30deg	GSAA-231010	0,7mm	225	100	100	1,73	8240005844
Branch Std Galv 0,7mm 225FB 100FB 225FB 30deg	GSAA-231023	0,7mm	225	100	225	1,63	8240005852
Branch Std Galv 0,7mm 225FB 120FB 225FB 30deg	GSAA-231223	0,7mm	225	120	225	1,62	8240005860
Branch Std Galv 0,7mm 225FB 125FB 225FB 30deg	GSAA-231323	0,7mm	225	125	225	1,93	8240005867
Branch Std Galv 0,7mm 225FB 150FB 225FB 30deg	GSAA-231523	0,7mm	225	150	225	2,24	8240005878
Branch Std Galv 0,7mm 225FB 160FB 225FB 30deg	GSAA-231623	0,7mm	225	160	225	3,15	8240005882
Branch Std Galv 0,7mm 225FB 225FB 225FB 30deg	GSAA-232323	0,7mm	225	225	225	3,29	8240005888
Branch Std Galv 0,7mm 250FB 80FB 200FB 30deg	GSAA-250820	0,7mm	250	80	200	2,19	8240005897
Branch Std Galv 0,7mm 250FB 80FB 250FB 30deg	GSAA-250825	0,7mm	250	80	250	1,78	8240005899
Branch Std Galv 0,7mm 250FB 100FB 100FB 30deg	GSAA-251010	0,7mm	250	100	100	1,85	8240005900

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Branch

Краткое описание	Legacy Item No.	Material Thickness	Диаметр A	Диаметр Б	Диаметр C	Масса	[model]
Branch Std Galv 0,7mm 250FB 100FB 250FB 30deg	GSAA-251025	0,7mm	250	100	250	1,78	8240005909
Branch Std Galv 0,7mm 250FB 100FB 200FB 30deg	GSAA-251020	0,7mm	250	100	200	2,21	8240005907
Branch Std Galv 0,7mm 250FB 120FB 200FB 30deg	GSAA-251220	0,7mm	250	120	200	2,21	8240005916
Branch Std Galv 0,7mm 250FB 120FB 250FB 30deg	GSAA-251225	0,7mm	250	120	250	1,77	8240005918
Branch Std Galv 0,7mm 250FB 125FB 200FB 30deg	GSAA-251320	0,7mm	250	125	200	2,52	8240005924
Branch Std Galv 0,7mm 250FB 125FB 250FB 30deg	GSAA-251325	0,7mm	250	125	250	2,1	8240005926
Branch Std Galv 0,7mm 250FB 150FB 200FB 30deg	GSAA-251520	0,7mm	250	150	200	2,84	8240005937
Branch Std Galv 0,7mm 250FB 150FB 250FB 30deg	GSAA-251525	0,7mm	250	150	250	2,43	8240005939
Branch Std Galv 0,7mm 250FB 160FB 160FB 30deg	GSAA-251616	0,7mm	250	160	160	2,68	8240005940
Branch Std Galv 0,7mm 250FB 160FB 250FB 30deg	GSAA-251625	0,7mm	250	160	250	2,42	8240005944
Branch Std Galv 0,7mm 250FB 200FB 250FB 30deg	GSAA-252025	0,7mm	250	200	250	3,14	8240005951
Branch Std Galv 0,7mm 250FB 250FB 250FB 30deg	GSAA-252525	0,7mm	250	250	250	4,86	8240005954
Branch Std Galv 0,7mm 300FB 100FB 300FB 30deg	GSAA-301030	0,7mm	300	100	300	2,08	8240006032
Branch Std Galv 0,7mm 300FB 120FB 250FB 30deg	GSAA-301225	0,7mm	300	120	250	2,63	8240006041
Branch Std Galv 0,7mm 300FB 120FB 300FB 30deg	GSAA-301230	0,7mm	300	120	300	2,07	8240006043
Branch Std Galv 0,7mm 300FB 125FB 300FB 30deg	GSAA-301330	0,7mm	300	125	300	2,44	8240006053
Branch Std Galv 0,7mm 300FB 150FB 300FB 30deg	GSAA-301530	0,7mm	300	150	300	2,81	8240006070
Branch Std Galv 0,7mm 300FB 160FB 250FB 30deg	GSAA-301625	0,7mm	300	160	250	3,33	8240006075
Branch Std Galv 0,7mm 300FB 160FB 300FB 30deg	GSAA-301630	0,7mm	300	160	300	2,8	8240006077
Branch Std Galv 0,7mm 300FB 200FB 300FB 30deg	GSAA-302030	0,7mm	300	200	300	3,6	8240006088
Branch Std Galv 0,7mm 300FB 300FB 300FB 30deg	GSAA-303030	0,7mm	300	300	300	5,4	8240006098
Branch Std Galv 0,7mm 315FB 100FB 315FB 30deg	GSAA-321032	0,7mm	315	100	315	2,17	8240006111
Branch Std Galv 0,7mm 315FB 120FB 315FB 30deg	GSAA-321232	0,7mm	315	120	315	2,16	8240006123
Branch Std Galv 0,7mm 315FB 125FB 200FB 30deg	GSAA-321320	0,7mm	315	125	200	2,87	8240006129
Branch Std Galv 0,7mm 315FB 125FB 250FB 30deg	GSAA-321325	0,7mm	315	125	250	3,06	8240006131
Branch Std Galv 0,7mm 315FB 125FB 315FB 30deg	GSAA-321332	0,7mm	315	125	315	2,54	8240006134
Branch Std Galv 0,7mm 315FB 150FB 315FB 30deg	GSAA-321532	0,7mm	315	150	315	2,93	8240006153
Branch Std Galv 0,7mm 315FB 160FB 200FB 30deg	GSAA-321620	0,7mm	315	160	200	3,23	8240006156

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Branch

Краткое описание	Legacy Item No.	Material Thickness	Диаметр A	Диаметр Б	Диаметр C	Масса	[model]
Branch Std Galv 0,7mm 315FB 315FB 315FB 30deg	GSAA-323232	0,7mm	315	315	315	6,69	8240006189
Branch Std Galv 0,7mm 350FB 120FB 250FB 30deg	GSAA-351225	0,7mm	350	120	250	2,89	8240006198
Branch Std Galv 0,7mm 350FB 120FB 300FB 30deg	GSAA-351230	0,7mm	350	120	300	3,05	8240006200
Branch Std Galv 0,7mm 350FB 120FB 350FB 30deg	GSAA-351235	0,7mm	350	120	350	2,37	8240006202
Branch Std Galv 0,7mm 350FB 125FB 250FB 30deg	GSAA-351325	0,7mm	350	125	250	3,26	8240006210
Branch Std Galv 0,7mm 350FB 125FB 300FB 30deg	GSAA-351330	0,7mm	350	125	300	3,44	8240006212
Branch Std Galv 0,7mm 350FB 125FB 350FB 30deg	GSAA-351335	0,7mm	350	125	350	2,78	8240006214
Branch Std Galv 0,7mm 315FB 160FB 250FB 30deg	GSAA-321625	0,7mm	315	160	250	3,43	8240006158
Branch Std Galv 0,7mm 315FB 160FB 315FB 30deg	GSAA-321632	0,7mm	315	160	315	2,91	8240006161
Branch Std Galv 0,7mm 350FB 150FB 250FB 30deg	GSAA-351525	0,7mm	350	150	250	3,65	8240006231
Branch Std Galv 0,7mm 350FB 150FB 300FB 30deg	GSAA-351530	0,7mm	350	150	300	3,85	8240006233
Branch Std Galv 0,7mm 350FB 150FB 350FB 30deg	GSAA-351535	0,7mm	350	150	350	3,19	8240006235
Branch Std Galv 0,7mm 350FB 160FB 250FB 30deg	GSAA-351625	0,7mm	350	160	250	3,64	8240006240
Branch Std Galv 0,7mm 350FB 160FB 300FB 30deg	GSAA-351630	0,7mm	350	160	300	3,84	8240006242
Branch Std Galv 0,7mm 350FB 160FB 350FB 30deg	GSAA-351635	0,7mm	350	160	350	3,18	8240006244
Branch Std Galv 0,7mm 350FB 200FB 250FB 30deg	GSAA-352025	0,7mm	350	200	250	4,48	8240006255
Branch Std Galv 0,7mm 350FB 200FB 350FB 30deg	GSAA-352035	0,7mm	350	200	350	4,06	8240006259
Branch Std Galv 0,7mm 350FB 250FB 350FB 30deg	GSAA-352535	0,7mm	350	250	350	6,09	8240006270
Branch Std Galv 0,7mm 350FB 350FB 350FB 30deg	GSAA-353535	0,7mm	350	350	350	8,38	8240006280
Branch Std Galv 0,9mm 400FB 120FB 400FB 30deg	GSAA-401240	0,9mm	400	120	400	3,44	8240006294
Branch Std Galv 0,9mm 400FB 120FB 350FB 30deg	GSAA-401235	0,9mm	400	120	350	4,48	8240006293
Branch Std Galv 0,9mm 400FB 125FB 300FB 30deg	GSAA-401330	0,9mm	400	125	300	4,8	8240006304
Branch Std Galv 0,9mm 400FB 125FB 350FB 30deg	GSAA-401335	0,9mm	400	125	350	5,04	8240006306
Branch Std Galv 0,9mm 400FB 125FB 400FB 30deg	GSAA-401340	0,9mm	400	125	400	4,03	8240006307
Branch Std Galv 0,9mm 400FB 150FB 350FB 30deg	GSAA-401535	0,9mm	400	150	350	5,61	8240006329
Branch Std Galv 0,9mm 400FB 150FB 400FB 30deg	GSAA-401540	0,9mm	400	150	400	4,61	8240006330
Branch Std Galv 0,9mm 400FB 160FB 300FB 30deg	GSAA-401630	0,9mm	400	160	300	5,35	8240006337
Branch Std Galv 0,9mm 400FB 160FB 350FB 30deg	GSAA-401635	0,9mm	400	160	350	5,59	8240006339

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Branch

Краткое описание	Legacy Item No.	Material Thickness	Диаметр A	Диаметр Б	Диаметр C	Масса	[model]
Branch Std Galv 0,9mm 400FB 160FB 400FB 30deg	GSAA-401640	0,9mm	400	160	400	4,59	8240006340
Branch Std Galv 0,9mm 400FB 200FB 300FB 30deg	GSAA-402030	0,9mm	400	200	300	6,51	8240006354
Branch Std Galv 0,9mm 400FB 200FB 400FB 30deg	GSAA-402040	0,9mm	400	200	400	5,83	8240006357
Branch Std Galv 0,9mm 400FB 225FB 300FB 30deg	GSAA-402330	0,9mm	400	225	300	7,13	8240006361
Branch Std Galv 0,9mm 400FB 250FB 400FB 30deg	GSAA-402540	0,9mm	400	250	400	8,64	8240006370
Branch Std Galv 0,9mm 400FB 315FB 400FB 30deg	GSAA-403240	0,9mm	400	315	400	10,11	8240006382
Branch Std Galv 0,9mm 400FB 400FB 400FB 30deg	GSAA-404040	0,9mm	400	400	400	13,47	8240006385
Branch Std Galv 0,9mm 450FB 150FB 350FB 30deg	GSAA-451535	0,9mm	450	150	350	6	8240006408
Branch Std Galv 0,9mm 450FB 150FB 450FB 30deg	GSAA-451545	0,9mm	450	150	450	5,11	8240006410
Branch Std Galv 0,9mm 450FB 160FB 350FB 30deg	GSAA-451635	0,9mm	450	160	350	6,01	8240006419
Branch Std Galv 0,9mm 450FB 160FB 450FB 30deg	GSAA-451645	0,9mm	450	160	450	5,09	8240006421
Branch Std Galv 0,9mm 450FB 200FB 400FB 30deg	GSAA-452040	0,9mm	450	200	400	7,55	8240006439
Branch Std Galv 0,9mm 450FB 200FB 350FB 30deg	GSAA-452035	0,9mm	450	200	350	7,27	8240006438
Branch Std Galv 0,9mm 450FB 200FB 450FB 30deg	GSAA-452045	0,9mm	450	200	450	6,43	8240006440
Branch Std Galv 0,9mm 450FB 225FB 450FB 30deg	GSAA-452345	0,9mm	450	225	450	7,12	8240006448
Branch Std Galv 0,9mm 450FB 250FB 400FB 30deg	GSAA-452540	0,9mm	450	250	400	10,49	8240006454
Branch Std Galv 0,9mm 450FB 450FB 450FB 30deg	GSAA-454545	0,9mm	450	450	450	18,6	8240006476
Branch Std Galv 0,9mm 500FB 150FB 500FB 30deg	GSAA-501550	0,9mm	500	150	500	5,61	8240006489
Branch Std Galv 0,9mm 500FB 160FB 450FB 30deg	GSAA-501645	0,9mm	500	160	450	6,89	8240006500
Branch Std Galv 0,9mm 500FB 160FB 500FB 30deg	GSAA-501650	0,9mm	500	160	500	5,59	8240006501
Branch Std Galv 0,9mm 500FB 200FB 400FB 30deg	GSAA-502040	0,9mm	500	200	400	8,04	8240006520
Branch Std Galv 0,9mm 500FB 200FB 450FB 30deg	GSAA-502045	0,9mm	500	200	450	8,32	8240006521
Branch Std Galv 0,9mm 500FB 200FB 500FB 30deg	GSAA-502050	0,9mm	500	200	500	7,03	8240006522
Branch Std Galv 0,9mm 500FB 225FB 450FB 30deg	GSAA-502345	0,9mm	500	225	450	9,04	8240006530
Branch Std Galv 0,9mm 500FB 225FB 500FB 30deg	GSAA-502350	0,9mm	500	225	500	7,77	8240006531
Branch Std Galv 0,9mm 500FB 250FB 450FB 30deg	GSAA-502545	0,9mm	500	250	450	11,46	8240006538

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

FB Branch



L1 = (Ø2 x 2) + 236
L2 = (Ø2 / 2) + 58
Ø3 must be smaller than or equal to Ø1
Ø2 must be smaller than or equal to Ø3

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB