


Suction hose PU4

Transparent polyurethane hose, t = 0.4. Reinforced with embedded steel helix.




Very flexible hose, light weight. Suitable for transporting abrasive material such as wood shavings, sawdust, cement dust, granulates and technical gases in the chemical and petrochemical industries. Very good resistance to wear and ageing. Good resistance to fuels, oils, solvents and grease.






- Very flexible
- Very good resistance to wear and ageing
- Good resistance to fuels, oils, solvents and grease

Product name	Suction hose PU4
Max vakuüm (in. wg)	2,9
Note	

Suction hose PU4

[image]	Description	Diameter (in)	Length (ft)	Weight (lbs)	[model]
	Hose PU4 Ø 38 mm Bending radius inner (32 mm)	38	33		40160442
		127	10	6,3	40375967
		102	10	5,10	40375965
		82	5	2,30	40375962
		152	5	3,75	40375968
		102	5	2,55	40375964
	Hose Polyurethane 51mm L=5m PU4	51	5	1,15	40375956
	Hose Polyurethane 51mm L=10m PU4	51	10	2,3	40375957
	Hose Polyurethane 63mm L=5m PU4	63	5	1,65	40375958
	Hose Polyurethane 82mm L=10m PU4	82	10		40375963

Suction hose PU4

	[accessory]	[partno]
	Hose clamp 85	40903030
	Hose clamp 56	40903170
	Hose clamp 75	40903180
	Hose clamp 112	40903210
	Hose clamp 104-112 ABA Robust	40903270