

Suction hose PU7

Transparent polyurethane hose, t = 0.7. Reinforced with embedded steel helix.




Flexible hose, light weight. Suitable for use as a cleaning/suction hose and to transport abrasive material such as wood shavings, sawdust, cement dust, granulates and technical gases in the chemical and petrochemical industries. Very good resistance to wear and ageing. Good resistance to fuels, oils, solvents and grease.

- Flexible
- Very good resistance to wear and ageing
- Good resistance to fuels, oils, solvents and grease






Product name	Suction hose PU7
Max vakuum (in. wg)	3,6
Note	Hose PU4 Ø 38 mm Max vacuum kPa at 23 ±2°C (25)

Suction hose PU7

[image]	Description	Diameter (in)	Length (ft)	[model]
	Hose PU4 Ø 38 mm Bending radius inner (40 mm)	38	33	40375982*
	Hose Polyurethane 51mm L=5m PU7	51	5	40375983
	Hose Polyurethane 51mm L=10m PU7	51	10	40375984
	Hose Polyurethane 63mm L=5m PU7	63	5	40375985
	Hose Polyurethane 63mm L=10m PU7	63	10	40375986
	Hose Polyurethane 76mm L=5m PU7	76	5	40375987
	Hose Polyurethane 76mm L=10m PU7	76	10	40375988

*Hose PU4 Ø 38 mm Max vacuum kPa at 23 ±2°C (25)

Suction hose PU7

	[accessory]	[partno]
	Hose clamp 85	40903030
	Hose clamp 56	40903170
	Hose clamp 75	40903180
	Hose clamp 112	40903210
	Hose clamp 104-112 ABA Robust	40903270