

Power box

Electricity, compressed air and vacuum outlets anywhere you need them.



The compressed air is available in three connections. Two of these are adjustable and one has none adjustable feed pressure. Suitable compressed air supply is max 10 bar. The vacuum is available in two female connections, diam. 38mm (1.5 in) with swivel function. The sliding valves offer an on/off function allowing tools and machines to be constantly connected. Nederman quick-couplers fit the vacuum connections allowing connection of hoses with diam. 19 to 63mm (.7 to 2.5 in.). The electric sockets are available in several different types. The Nederman PowerBox comes also with tool holder suitable for a max. weight of 10 kg, (22 lbs.)

The Nederman PowerBox can be ordered with or without the Nederman Extension Arm. The Nederman Extension Arm gives you the freedom to work where you want and is easily positioned anywhere in the work area. (Not sold in US and Canada)






- Electric power
- Compressed air x 3 outlets
- Vacuum 2 x connections

-
- No running around to connect hoses and cables to different outlets and connectors
 - No hoses or cables on the floor = less risk of personal injuries
 - The tools are ergonomically and conveniently within reach
 - Energy saving
Automatic vacuum valves close the vacuum supply when vacuum not is used.




| | |
|--------------|-----------|
| Product name | Power box |
| Weight (kg) | 15-25 |



Power box

| Image | Description | Model |
|---|---|----------|
|  | PowerBox Basic | 40186540 |
|  | PowerBox EUR. 2x230 V, 50-60Hz 10/16 A. | 40186550 |
|  | PowerBox 16A EUR, 2x230 V, 50-60Hz, 10/16 A. 1x380-415V, 3P+N+E, 50-60Hz, 16A. | 40186580 |
|  | PowerBox 32A EUR, 2x230 V, 50-60Hz 10/16 A. 1 x 380-415V, 3P+N+E, 50-60Hz, 32A. | 40186590 |
|  | PowerBox 2x110V UK, 2x250 V, 13 A. 2x100-130V, 2P+E, 50-60Hz, 16A. | 40186600 |

Power box

| | Accessory | Part No |
|---|--|----------|
|  | Connection piece M38 Festo | 40850806 |
|  | Pneumatic activator for TAV 50 FV and TAV 50 FV/MV valves. Activates the valve and enables applications other than extraction from pneumatic or electric tools, such as floor cleaning. | 40190010 |
|  | Power Box Arm, 6m | 40180420 |
|  | Wallbracket for PowerBox | 40374578 |