

Industrial vacuum cleaner 105 A EX

ATEX approved air driven industrial vacuum cleaner
for explosive dust collection



Air powered ATEX certified industrial vacuum cleaner with light suction equipment for cleaning floors, walls, beams and machines. This very robust industrial vacuum cleaner is suitable for industry handling potentially explosive dusts such as composite industry and chemical industry.

ATEX approved equipment: EX II 2GD c IIC 60°C (T6)

- Disposable dust bag
- ATEX approved

Product name	Industrial vacuum cleaner 105 A EX
Hose Diameter (in)	2,01
Filter Area (ft ²)	17
Number of filter elements	1
Type of hose	[PEC]
Weight (lbs)	148
Hose length (m)	25
Hose diameter (mm)	2
Note	With cleaning set, brush, toothed and conical nozzle




Industrial vacuum cleaner 105 A EX

[image]	Description	Filter type	Filter material	Compressed air requirement	Max airflow (m ³ /h)	Noise level (dB(A))	Max vakuüm (in. wg)	[model]
	105A EX - NE22, S50		Paper	1,0 Nm ³ /min	306	72.0	-84	42210500*
	105A EX - NE32, S50 and float ball		Polyester-Teflon	1,6 Nm ³ /min	342	74.0	-124	42210529*

*With cleaning set, brush, toothed and conical nozzle

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
PEC		-40 Deg. C. - +60 Deg. C.				

Industrial vacuum cleaner 105 A EX



Air Powered ejectors

All performance data are based on 7 bar supply pressure