

## Industrial vacuum cleaner 139A

Excellent heavy duty vacuum cleaner for transportation of material over long distances.



The air powered 139A wet vacuum is a heavy duty industrial vacuum cleaner excellent for suction of liquids. This powerful wet vacuum can transport material over long vertical and horizontal distances. The vacuum cleaner is suitable for various cleaning and liquid pick-up operations in heavy industry.

- · No moving parts
- · Long lifespan
- · Excellent for heavy industry

| Product name               | Industrial vacuum cleaner 139A                                   |  |  |  |
|----------------------------|--|--|--|--|
| Application                | [liquid], [granulate], [grit]                                    |  |  |  |
| Filter type                | [cartridge]  |  |  |  |
| Number of filter elements  | 1  |  |  |  |
| Filter material            | Polyester (washable) [PVC]                                       |  |  |  |
| Type of hose               |  |  |  |  |
| Compressed air requirement | 3,0 Nm3/min  |  |  |  |
| Max airflow (m³/h)         | 342  |  |  |  |
| Noise level (dB(A))        | 75,5   |  |  |  |
| Max vaccum (kPa)           | -52  |  |  |  |
| Hose length (m)            | 10   |  |  |  |
| Hose diameter (mm)         | 51   |  |  |  |
| Note                       | With cleaning set, gulper head, scraping tool and conical nozzle |  |  |  |









Granulate

Liqu



## Industrial vacuum cleaner 139A

| Description                               | [model]   |  |  |
|---|-----------|--|--|
| 139A - NE52, S50, container without inlet | 42113900* |  |  |


<sup>\*</sup>With cleaning set, gulper head, scraping tool and conical nozzle

| Hose type | Specification | Temperature range, °C           | Hose fittings in free hose end, distribution hose | Hose fitting on free hose end, inlet hose | Hose connection on reel, distribution hose | Hose connection on reel, inlet hose |
|-----------|---------------|---------------------------------|---|---|--|-------------------------------------|
| PVC       |               | - 20 deg. C. to + 70 Deg.<br>C. |   |   |  |                                     |



19-03-2021

## Industrial vacuum cleaner 139A



Air Powered ejectors

All performance data are based on 7 bar supply pressure