

## Industrial vacuum cleaner 140A EX

**ATEX approved air powered industrial vacuum cleaner for extraction of hazardous and flammable liquids.**




This heavy duty stainless steel industrial vacuum cleaner is excellent for collection and recovery of hazardous and flammable liquids such as petrol, diesel, acetone and other organic fluids.

The ATEX vacuum is suitable for various cleaning and liquid pick-up operations in heavy industry, tank stripping and off-shore. All parts of the vacuum cleaner are anti-static and conductive to avoid static electricity loading. Designed for stripping of cargo tanks and deep well sumps in shipping.

ATEX approved equipment: EX II 2 GD c IIB 60°C (T6).


- Liquid recovery
- Stainless steel for rough conditions
- ATEX approved

<b>Product name</b>	Industrial vacuum cleaner 140A EX
<b>Application</b>	[dust], [liquid], [granulate], [swarf]
<b>Filter type</b>	[cartridge]
<b>Number of filter elements</b>	1
<b>Filter material</b>	Microfibre
<b>Type of hose</b>	[PUEL]
<b>Compressed air requirement</b>	4,3 Nm <sup>3</sup> /min @ 7bar
<b>Max airflow (m<sup>3</sup>/h)</b>	330
<b>Noise level (dB(A))</b>	77.0
<b>Max vacuum (kPa)</b>	-68
<b>Weight (kg)</b>	60
<b>Hose length (m)</b>	16
<b>Hose diameter (mm)</b>	38
<b>Note</b>	ATEX: EX II 2 GD c IIB 60°C(T6)




Granulate Swarf Dust Liquid

## Industrial vacuum cleaner 140A EX

[image]	Description	[model]
	140A EX - NE64, S50, tank stripping unit	42214000*

\*ATEX: EX II 2 GD c IIB 60°C(T6)

## Industrial vacuum cleaner 140A EX



Air Powered ejectors

All performance data are based on 7 bar supply pressure