

Industrial vacuum cleaner 410E

Industrial vacuum cleaner for removal of industrial waste materials



Dual container system, designed for removal of industrial waste. This powerful suction unit comes equipped with a silo and filter container for the removal of industrial waste materials. Special swivelling, locking wheels are sized to increase mobility, and make the handling of heavy loads simple. The silo is designed to allow the collected material to be discharged over gratings or chutes for the central collection of materials. The model include slots for handling by forklift.

- Dry waste suction
- Silo pre-separator with manual outlet valve
- Fork lift handling
- Sturdy trolley system with large wheels for uneven ground

Product name	Industrial vacuum cleaner 410E
Installation	[Indoor]
Filter cleaning method	Mechanical
Application	[dust], [fumes], [swarf], [granulate]
Power Voltage (V)	230
Frequency (Hz)	50
No of phases	1
Filter type	[cartridge]
Number of filter elements	1
Filter material	paper
Electric plug	Euro (CEE 7/2 P+E)
Type of hose	PE/C
Max airflow (m ³ /h)	460
Noise level (dB(A))	75
Capacity (max airflow m ³ /h)	
Max vacuum (kPa)	-21,5
Hose length (m)	7,5
Hose diameter (mm)	51
Power (kW)	2,4
Note	With cleaning set, scraping tool and conical nozzle



Industrial vacuum cleaner 410E

Description	Model
410E - NEL3R, S50	42441000*

*With cleaning set, scraping tool and conical nozzle

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
PEC	For cleaning applications Max vacuum 50 kPa Conductivity < 10 ⁶ Ohm	-40 Deg. C. - +60 Deg. C.				