# Nederman

# Industrial vacuum cleaner 221A



Product name	Industrial vacuum cleaner 221A			
Filter type	[cartridge]			
Number of filter elements	1			
Filter material	Microfibre			
Type of hose	PE/C			
Compressed air requirement	3,0 Nm3/min			
Max airflow (m³/h)	342			
Noise level (dB(A))	75,3			
Max vaccum (kPa)	-52			
Hose length (m)	7,5			
Hose diameter (mm)	51			
Note	With cleaning set, brush, conical and toothed nozzle			

CE



# Industrial vacuum cleaner 221A

Description	Model
221A - NE52, S50,	42122106*

\*With cleaning set, brush, conical and toothed nozzle

	Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
		For cleaning applications					
PEC	Max vacuum 50 kPa	-40 Deg. C +60 Deg. C.					
	Conductivity < 10^6 Ohm						




# Industrial vacuum cleaner 221A

	Part No	
0 <sup>0</sup>	Control S for NE 22-76	43220001
	Control S for NE 22-76	43220026
	Control S for NE86-96	43222008



### Industrial vacuum cleaner 221A



Air Powered ejectors

All performance data are based on 7 bar supply pressure