# Nederman

#### Industrial vacuum cleaner 221A



Product name	Industrial vacuum cleaner 221A			
Filter type	[cartridge]			
Number of filter elements	1			
Filter material	Microfibre			
Type of hose	PE/C			
Compressed air requirement	3,0 Nm3/min			
Max airflow (m³/h)	342			
Noise level (dB(A))	75,5			
Max vaccum (kPa)	-52			
Hose length (m)	7,5			
Hose diameter (mm)	51			
Note	With cleaning set, brush, conical and toothed nozzle			

CE



### Industrial vacuum cleaner 221A

Description	[model]	
221A - NE52, S50,	42122106*	

\*With cleaning set, brush, conical and toothed nozzle

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
PEC		-40 Deg. C +60 Deg. C.				




### Industrial vacuum cleaner 221A

	[accessory]	[partno]
ð.	Electrical control system for ejectors NE 22-76. (Suction time: 0-5 min, Discharge time: 0-15 sek)	43220001
	Timer electrical control for ejector NE 22-76, without control box. Mounted on the compressed air connection. (Suction time: 0 - 15 min, Discharge time: 0-15 sek)	43220026
	Timer electrical control for ejector NE 86-96, without control box. Mounted on the compressed air connection. (Suction time: 0 - 15 min, Discharge time: 0-15 sek)	43222008

## Nederman

#### Industrial vacuum cleaner 221A



Air Powered ejectors

All performance data are based on 7 bar supply pressure