

## หัวดูดสำหรับ High Vacuum

---









หัวดูดควันเชื่อมของเนเดอร์แมน ทำงานได้ดีร่วมกับชุดแขนกล  
แต่ยังสามารถใช้งานร่วมกับชุด magnetic or suction foot  
ชุดหัวดูดควันเชื่อมรุ่น CWN ทำงานเยี่ยมจึงสะดวกสบายต่อการใช้งานสูงสุด

- ออกแบบมาสำหรับสุญญากาศสูงโดยไม่ลดประสิทธิภาพ

Product name	หัวดูดสำหรับ High Vacuum
--------------	--------------------------

## หัวดูดสำหรับ High Vacuum





รูปภาพ	Description	รุ่น
	Nozzle FWN 200/50, connection D=50 mm, airflow 250 m <sup>3</sup> /h, width 200 mm	40290110*
	Nozzle FWN 400/50, connection D=50 mm, airflow 250 m <sup>3</sup> /h, width 400 mm	40290120*
	Nozzle CWN-S 105/40, connection D=40 mm, airflow 200 m <sup>3</sup> /h	40290330**
	CWN-S 105/50 nozzle silencer, connection D=50 mm, airflow 250 m <sup>3</sup> /h, suction diameter 105 mm	40290230**
	CWN-S 105/63 nozzle silencer, connection D=63 mm, airflow 400 m <sup>3</sup> /h suction diameter 105 mm	40290240**
	Nozzle CWN-S 105/50L silencer, connection D=50 mm, airflow 250 m <sup>3</sup> /h	40290270***

\*Fish tail nozzle. For mounting on balance arms, magnet or suction base. Must be combined with nozzle extension when used with balance arms.

\*\*Noise reducing nozzle. For mounting on balance arms, magnet or suction base.

\*\*\*Noise reducing nozzle with flexible steel tube extension. For mounting on balance arms, magnet or suction base.

## หัวดูดสำหรับ High Vacuum

อุปกรณ์เสริม		หมายเลขชิ้นส่วน
	Magnetic base	40290170
	Suction base	40290180
	Nozzle extension	40290200
	Sensor ring	40750020
	Handle CWN-S 105/50 & 63	40070420