MAX Track ST

MAX Track ST Direct Connect Exhaust Extraction

The MAX Track ST exhaust solution is designed with the MagnaTrack and trolley system and our new MAX Nozzle. The MAX nozzle connects directly to a robust adapter secured to the vehicle tailpipe and disconnects as the vehicle exits the bay. Features a patent pending design that induces ambient air to cool both the airstream and connection magnets reducing wear and tear and maintenance needs for the system.

- Suitable for back in station arrangements
- Supports (1) vehicles per bay
- Ideal for station with low frequency dispatch
- Available with 4" or 6" exhaust hose diameters and a variety of tailpipe adapter sizes for tailored air flow to different types of apparatus

Product name	MAX Track ST
Installation	Indoor
Hose Diameter (in)	4 or 6
Hose length (ft.)	Varies
Operating Temperature	up to 510 C (950 F)
Diameter, hose (in)	4

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

MAX Track ST

Description	Hose length (ft)	Model
MAX Track ST, Track 6 m (19.6 inch)	20	89299234
MAX Track ST, Track 9 m (29.5 in.)	31	89299229
	28	89299225
		89299261
		89299262
		89299263
		89299258
		89299259
40 ft Track with 28 ft hose length, One Drop, 6 inch Nozzle with 6 inch Take-Off		89299260
		89299201
		89299202
		89299203
		89299204
		89299205

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

MAX Track ST

Accessory		Part No
	5HP/1PH/208-230V Auto-Start Control Console	89116052
	Auto-Start Control Panel 3Hp/1Ph/208-230Vw/ASIbd	89116050
	3HP/3PH/208-230V Auto-Start Control Console	89116051
	Auto-Start Control Panel 5Hp/3Ph/208-230Vw/ASIbd	89116053
	Auto-Start Control Panel 7.5Hp/1Ph/208230Vw/ASIbd	89116054
	Auto-Start Control Panel 7.5Hp/3Ph/208230Vw/ASIbd	89116055
	Auto-Start Control Panel 10Hp/3Ph/208230Vw/ASIbd	89116056
	Auto-Start Control Panel 3Hp/3Ph/460Vw/ASIbd	89116061
	Auto-Start Control Panel 5Hp/3Ph/460Vw/ASIbd	89116060
	10HP/3PH/460V Auto-Start Control Console	89116059
	Receiver Gen II US	89116065
	Pressure Switch for MAXX Track or MAX Rail	89298271
	Transmitter to be used with Pressure Switch, required for MAX Rail, optional for MAX Track	89215003
	7.5HP/3PH/460V Auto-Start Control Console	89116062
	Rubber Bumper, 6 in. MAX Nozzle	89299217
	Diaphragm, 6 in. MAX Nozzle	89299219
	Diaphragm, 4 in. MAX Nozzle	89299220
	Contact Plate, 4 in. Nozzle Connect MAX Nozzle	89299221
	Contact Plate, 6 in. Nozzle Connection MAX Nozzle	89299222
	100mm (4 ft) x 0.6 m (2 ft) HD Lower	89295367
	150mm (6 in) x 0.6 m (2 ft) HD Lower	89295370
	100mm (4 in) x 1.8m (6 ft.) HD Middle	89295368

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

MAX Track ST

Accessory		Part No
	150mm (6 in) x 1.8 m (6 ft) HD Middle	89295371
	100mm (4 in.) x 5m (16 ft.) Silicone Nomex w/blue helix	89295374
	150mm (6 in) x 5m (16 ft) Silicone Nomex	89295375
	100mm (4 in.) x 6m (20 ft.) HD Middle	89295369
	150mm (6 in) x6 m (20 ft) HD Upper	89295372
	MAX Nozzle, 4" nozzle to 4" hose connection	89299213
	MAX Nozzle, 6" nozzle to 4" hose connection	89299211
	MAX Nozzle, 6" nozzle to 6" hose connection	89299212
	AutoStart PANEL 2HP 208VAC 1-PHASE	89298071
	Auto-St Ctr Pnl 15hp/3ph/208Vw/ASIb US	89116063
	Auto Start/stop radio receiver Gen 2b	89115581
	AutoStart Transmitter (One for each vehicle)	89115580

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB