


Suction hose W

Application areas light and flexible plastic hose. Mainly used for extraction of fumes from welding torches with integrated extractor or nozzle















| | |
|-------------------------|----------------|
| Product name | Suction hose W |
| Max vacuum (kPa) | 60 |

Suction hose W

| Image | Description | Diameter (mm) | length (m) | Model |
|---|---------------------------|---------------|------------|----------|
|  | Hose W-50 L=20m | 50 | 20 | 40161253 |
|  | Hose W-63 L=20m | 63 | 20 | 40161263 |
|  | Hose W-44 L=20m | 44 | 20 | 40161283 |
|  | Hose WH-38 L=10m m.spiral | 38 | 10 | 40160292 |
|  | Hose WH-51 L=10m m.spiral | 51 | 10 | 40160272 |
|  | Hose W-44 L=5m | 44 | 5 | 40376009 |
|  | Hose W-44 L=10m | 44 | 10 | 40376010 |
|  | Hose W-51 L=5m | 51 | 5 | 40376011 |
|  | Hose W-51 L=10m | 51 | 10 | 40376012 |
|  | Hose W-63 L=5m | 63 | 5 | 40376013 |
|  | Hose W-63 L=10m | 63 | 10 | 40376014 |

Suction hose W

| | Accessory | Part No |
|---|--------------------------------|----------|
|  | Hose Shelf 30M 115x70 | 40195450 |
|  | Hose Shelf 60M 150x110 | 40195451 |
|  | Hose Shelf 120M 200x160 | 40195452 |
|  | Hose & Add.shelf | 40196370 |
|  | Hose clamp 85 | 40903030 |
|  | Hose clamp 50 | 40903160 |
|  | Hose clamp 56 | 40903170 |
|  | Hose clamp 75 | 40903180 |
|  | Hose clamp 112 | 40903210 |
|  | Hose clamp 104-112 ABA Robust | 40903270 |
|  | Ball valve 38 typ 353 PVC cpl. | 40615210 |
|  | Ballvalve for Ø44 mm hoses | 40376978 |