

Hand nozzles Ø 40 mm

Hand nozzles for high vacuum cleaning system



Nederman has the right cleaning equipment for your own requirements

Keeping the work space clean is not only an investment in a better working environment, it also prevents unexpected stoppages of machines that may be caused by a dirty working environment.

Nederman offers equipment and accessories for cleaning a wide variety of different surfaces including floors, benches and machines, and it is easy to change between different equipment and accessories.












Floor cleaning equipment is offered in three sizes: 38 mm, 51 mm and 63 mm. The dimension refers to the inside diameter of the hose being used.

The 38 mm cleaning unit is flexible and easy to handle. It is mainly used for light cleaning of fine dust.

-
- Can be used on many different types of surfaces
 - Easy to use
 - Wide range of accessories

Product name	Hand nozzles Ø 40 mm
Installation	[Indoor]


Hand nozzles Ø 40 mm

[image]	Description	[model]
	Extended brush, 169 x 54 mm.	40190020*
	Brush hygiene, food industry	40190030*
	Round rubber brush with swivel top	40193080*
	Circular crevice nozzle in plastic. Length: 360 mm. Width: 45 x 10 mm.	40193090*
	Circular crevice nozzle in steel Length: 310 mm. Width: 55 x 15 mm	40193620**
	Rubber nozzle for confined spaces. Length: 230 mm. Width: Ø 32-38 mm.	40193130*
	Rubber nozzle for confined spaces. Length: 230 mm. Width: Ø 25-32 mm.	40193110*
	Pipe brush for Ø 200 mm pipe.	40195920
	Pipe brush for Ø 100 mm pipe.	40195930
	Plastic crevice nozzle with notches. 135 x 40 mm.	40193660*
	Circular crevice nozzle in plastic. 100 x 15 mm.	40193600
	Circular crevice nozzle in plastic. Inlet can be cut to Ø 10-25 mm.	40193570
	Nozzle crevice plastic 60x15 D=40	40377194

*ATEX - Suitable for combustible dust with MIE (minimum ignition energy) < 1mJ. Ensure earthing to extraction unit. Not to be used in combustible gas atmospheres or extraction of explosive materials

**ATEX - Suitable for combustible dust (zone 20,21,22) and gas (zone 1,2) of group IIA , IIB and IIC. Ensure earthing to extraction unit. Not to be used for extraction of explosive materials

Hand nozzles Ø 40 mm

[accessory]		[partno]
	Brush round for 40193080	40195250