

QF Dampers
















Various dampers for use in QF ducting systems. Manual or automatic dampers for regulating the air flow in a duct system.


















| | |
|------------|----|
| Connection | QF |
|------------|----|

QF dampers
















QF Dampers

| [image] | Průměr (mm) | Length (m) | Hmotnost (kg) | Thickness (mm) | [model] |
|---|-------------|------------|---------------|----------------|-------------|
|  | 80 | | 0,7 | 0,7 | 8210000812 |
|  | 100 | | 0,75 | 0,7 | 8210000813 |
|  | 125 | | 0,95 | 0,7 | 8210000814 |
|  | 150 | | 1,25 | 0,6 | 8210000815 |
|  | 160 | | 1,35 | 0,7 | 8210000816 |
|  | 180 | | 1,9 | 0,7 | 8210000817 |
|  | 200 | | 2,2 | 0,7 | 8210000818 |
|  | 224 | | 2,25 | 0,7 | 8210000819 |
|  | 250 | | 3,05 | 0,7 | 8210000820 |
|  | 315 | | 4,3 | 0,7 | 8210000822 |
|  | 350 | | 4,77 | 0,7 | 8210000823 |
|  | 400 | | 5,5 | 0,9 | 8210000824 |
|  | 450 | | 7,45 | | 8210000825 |
|  | 500 | | 9,05 | 0,7 | 8210000826 |
|  | 80 | | 4,0 | | 8210002032* |



QF Dampers

| [image] | Průměr (mm) | Length (m) | Hmotnost (kg) | Thickness (mm) | [model] |
|---|-------------|------------|---------------|----------------|--------------|
|  | 100 | | 4,0 | | 8210002033* |
|  | 125 | | 4,5 | | 8210002034* |
|  | 140 | | 5,5 | | 8210002035* |
|  | 150 | | 6,0 | | 8210002036* |
|  | 160 | | 6,0 | | 8210002037* |
|  | 180 | | 7,0 | | 8210002038* |
|  | 200 | | | | 8210002039* |
|  | 224 | | 7,5 | | 8210002040* |
|  | 250 | | 8,0 | | 8210002041** |
|  | 300 | | 12,0 | | 8210002042** |
|  | 315 | | 12,5 | | 8210002043** |
|  | 350 | | 14,0 | | 8210002044** |
|  | 400 | | 16,5 | | 8210002045** |
|  | 80 | | 3,0 | | 8210000784 |
|  | 100 | | 3 | | 8210000785 |

QF Dampers

| [image] | Průměr (mm) | Length (m) | Hmotnost (kg) | Thickness (mm) | [model] |
|---|-------------|------------|---------------|----------------|------------|
|  | 125 | | 3,5 | | 8210000786 |
|  | 140 | | 4,0 | | 8210000787 |
|  | 150 | | 4,0 | | 8210000788 |
|  | 160 | | 4,5 | | 8210000789 |
|  | 180 | | 5,0 | | 8210000790 |
|  | 200 | | 6,0 | | 8210000791 |
|  | 224 | | 6,5 | | 8210000792 |
|  | 250 | | 7,5 | | 8210000793 |
|  | 300 | | 9,5 | | 8210000794 |
|  | 315 | | 10,0 | | 8210000795 |
|  | 350 | | 11,5 | | 8210000796 |
|  | 400 | | 14,0 | | 8210000797 |
|  | 450 | 1,24 | 40 | | 8210000779 |
|  | 500 | 1,34 | 45 | | 8210000780 |
|  | 560 | 1,46 | 54 | | 8210000781 |

QF Dampers

| [image] | Průměr (mm) | Length (m) | Hmotnost (kg) | Thickness (mm) | [model] |
|---|-------------|------------|---------------|----------------|------------|
|  | 630 | 1,73 | 68 | | 8210000782 |
|  | 710 | 1,808 | 88 | | 8210000783 |
| | | | | | 8210000772 |

*1 cylinder

**2 cylinders