

Rubber hose clear

Clear polyurethane flexible rubber hose reinforced with a bronze coated spring steel wire helix.



The clear rubber hose is designed for dust collection applications (woodworking, metals, powders, etc.).

- Temperature rating: -65° F to 225° F
- Diameters 2 - 12 can be sold in 5' increments

Rubber hose clear

Diameter (in)	[model]
2	8010004027
4	8010004029
5	8010004030
6	8010004032
7	8010004033
8	8010004034
10	8010004023
12	8010004024
14	8010004025
16	8010004026

Rubber hose clear

	[accessory]	[partno]
	3" Bridge hose clamp	8010002517
	4" Bridge hose clamp	8010002518
	5" Bridge hose clamp	8010002519
	6" Bridge hose clamp	8010002520
	7" Bridge hose clamp	8010002521
	8" Bridge hose clamp	8010002522
	10" Bridge hose clamp	8010002512
	12" Bridge hose clamp	8010002513
	Adapter Hose Galv 22ga 3 QF	8040401963
	Adapter Hose Galv 22ga 6 QF	8040401966
	Adapter Hose Galv 22ga 7 QF	8040401967
	Adapter Hose Galv 22ga 8 QF	8040401968
	Adapter Hose Galv 22ga 9 QF	8040401969
	Adapter Hose Galv 22ga 10 QF	8040401970
	Adapter Hose Galv 22ga 11 QF	8040401971
	Adapter Hose Galv 22ga 12 QF	8040401972
	Adapter Hose Galv 20ga 13 QF	8040401973
	Adapter Hose Galv 20ga 14 QF	8040401974
	Adapter Hose Galv 20ga 15 QF	8040401975
	Adapter Hose Galv 20ga 16 QF	8040401976
	Adapter Hose Galv 20ga 17 QF	8040401977
	Adapter Hose Galv 20ga 18 QF	8040401978

Rubber hose clear

	[accessory]	[partno]
	Adapter Hose Galv 20ga 19 QF	8040401979
	Adapter Hose Galv 20ga 20 QF	8040401980
	Adapter Hose Galv 20ga 21 QF	8040401981
	Adapter Hose Galv 20ga 22 QF	8040401982
	Adapter Hose Galv 20ga 23 QF	8040401983
	Adapter Hose Galv 20ga 24 QF	8040401984