


Back Pressure Flaps

Back pressure flaps for installation in LBR hopper



Welded construction in Nederman blue painted steel plate with strong rubber seal. Type QF is mounted with galvanised QF nipple complete with galvanised flange. Concerning dimensions of QF edges, flanges etc. we refer to the data sheets for QF duct systems and flange duct systems, respectively.

Back Pressure Flaps

| Diameter (mm) | Connection | [model] |
|---------------|------------|---------|
| 200 | QF | 7943931 |
| 250 | QF | 7943932 |
| 315 | QF | 7943933 |
| 350 | QF | 7943934 |
| 400 | QF | 7943935 |
| 450 | QF | 7943936 |
| 500 | QF | 7943937 |
| 560 | QF | 7943938 |
| 630 | QF | 7943939 |
| 200 | FL | 7943940 |
| 250 | FL | 7943941 |
| 315 | FL | 7943942 |
| 350 | FL | 7943943 |
| 400 | FL | 7943944 |
| 450 | FL | 7943945 |
| 500 | FL | 7943946 |
| 560 | FL | 7943947 |
| 630 | FL | 7943948 |
| 710 | FL | 7943949 |
| 200 | Spiro | 5502898 |
| 250 | Spiro | 5502899 |
| 350 | Spiro | 5502901 |
| 400 | Spiro | 5502902 |
| 450 | Spiro | 5502903 |
| 500 | Spiro | 5502904 |
| 560 | Spiro | 5502905 |

Back Pressure Flaps

Back pressure flap in vertical wall

