# Nederman

# FilterCart Carbon

#### Easy to use mobile filter unit for extraction of foul smells



FilterCart Carbon mobile filter unit is specially designed for extraction of odours. FilterCart Carbon includes Extraction Arm Standard and can be equipped with HEPA filter for maximum efficiency. applications: solvents, fumes and other gas contaminants.

- Easy to manouver
- HEPA 13 filter optional available
- Carbon filter for organic vapors

Product name	FilterCart Carbon
Noise level (dB(A))	73
Protection class	IP42
Installation	[Indoor]
Material	Housing in roto moulded plastic. Extraction arm in PVC hose and aluminium frame. Fan in steel and aluminium.
Suitable for combustible dust	False
Material recycling (%)	99
Extraction arm diameter (mm)	160
Airflow (m³/h)	700 - 900
Arm length (m)	2
Frequency (Hz)	50
No of phases	1
Number of filter elements	1
Filter material	Active Carbon
Weight (kg)	82
Filter cleaning method	One way filter
Power (kW)	0,55

CE



## FilterCart Carbon

Image	Power Voltage (V)	Electric plug	Model
4	230	Euro (CEE 7/2 P+E)	12641245
	240	UK	12643245
	110	UK	12642245



## FilterCart Carbon

Accessory		Part No
	Filter FC-Carbon	12374025
	HEPA filter, 7,5 m2 high-efficiency filter, class H13	12374016
	HEPA filter high-efficiency filter, class H14	12377296
illi Illi	Kit spacer FCart filter H14 , 4-p	12377290



#### FilterCart Carbon

