

FilterCart Carbon

Easy to use mobile filter unit for light to medium welding applications



FilterCart Carbon mobile filter unit is specially designed for extraction of odours. FilterCart Carbon includes Extraction Arm Standard and can be equipped with HEPA filter for maximum efficiency. applications: solvents, fumes and other gas contaminants.

- Easy to maneuver
- HEPA 13 filter optional available
- Carbon filter for organic vapors

Product name	FilterCart Carbon
Noise level (dB(A))	73
Protection class	IP42
Installation	[Indoor]
Material	Housing in roto moulded plastic. Extraction arm in PVC hose and aluminium frame. Fan in steel and aluminium.
Suitable for combustible dust	False
Material recycling (% weight)	99
Extraction arm diameter (mm)	160
Airflow (m ³ /h)	700 - 900
Power Voltage (V)	230
Frequency (Hz)	50
No of phases	1
Arm length (m)	2
Number of filter elements	1
Filter material	Active Carbon
Electric plug	Euro (CEE 7/2 P+E)
Weight (kg)	82
Filter cleaning method	[OneWayFilter]
Power (kW)	0,55



FilterCart Carbon

[model]
12641245

FilterCart Carbon

[accessory]		[partno]
	Filter FC-Carbon	12374025

FilterCart Carbon

