

Oil mist filter



Designed for lathing and milling applications, for machines stamping and pressing steel plates, industrial washing machines, abrasive water jets etc. In all metal fabrication with oil mist troubles, these filters will fit into a ducting system, connected to each machine. All units are equipped with pressure gauge for control of filters as well as a indication for need of cleaning (self draining). Suitable for emulsion mist.

- · Low maintenance cost
- · Self draining mist filter
- · Easy to install
- · High filtration efficiency
- Made to take up very little space with integrated fan for most models

Dead yet name	NOM 11	
Product name		
Noise level (dB(A))	66,4	
Protection class	IP 55	
Filter efficiency (%)	97,5	
Compressed air requirement	No	
Compressed air consumption	No	
Installation	[Indoor]	
Material	Housing made in oil resistant wet painted sheet metal.	
Suitable for combustible dust	False	
Material recycling (% weight)	86	
Filter Area (m²)	8.5	
Capacity (max airflow m3/h)	1100	
Operating Temperature	5 - 60 C	
Frequency (Hz)	50	
Filter type	[cartridge]	
Number of filter elements	1	
Filter material	Glassfibre/Polyester	
Power (kW)	0,75	





Description	Power Voltage (V)	No of phases	Amperage (A)	Weight (kg)	[model]
NOM 11	230	1	5,7	148	12621768
NOM 11, HEPA	400/230	3	1,7/2,9	153	12622268*
NOM 11 (without fan)				136	12622668**
NOM 11 (without fan)				131	12622568***
NOM 11	230	1	5,7	153	12621868*
NOM 11	400/230	3	1,7/2,9	148	12622168


^{*}Includes HEPA filter with 16 sqm filterarea and with 99,97 % efficiency.

^{**}Delivered without Fan. Includes HEPA filter with 16 sqm filterarea and with 99,97 % efficiency.
***Delivered without Fan.




	[partno]	
	FMS 1,6 - 2,5	14502237
	Silencer NOM 11	12373649
• 15	Container NOM 11, 18, 28	12373651
A	Hose with oil trap NOM	12373652
	Prefilter 8,5m2 NOM 11	12373654
	HEPA 16m2 NOM 11	12373646
	Coarse pre-filter	12376294





A = NOM filter, B = Centrifugal filter A, C = Centrifugal filter B

Efficiency of NOM main filter compared to typical centrifugal filters, tested with DOP.



*dim. without extension legs/nominal/with extension legs



