

Industrial vacuum cleaner 216 A


High capacity dust extraction and collection



The 216A air powered industrial vacuum cleaner is a powerful and robust dry industrial vacuum cleaner suitable for composite handling industry, building and construction industry and chemical industry handling powder and other dry material such as dusts, grit and granules. Equipped with a HEPA filter.

- Cyclonic pre-separation
- Manual filter cleaning prolongs the filter's lifetime
- High suction capacity

Product name	Industrial vacuum cleaner 216 A
Noise level (dB(A))	74
Installation	[Indoor]
Material	Housing in sheet metal
Filter cleaning method	[ReverseAirPulse]
Application	[dust], [granulate], [grit]
Dustbin volume (gal)	12,4
Hose length (ft.)	24.6 ft
Filter Area (ft ²)	17
Filter type	[cartridge]
Type of hose	[PEC]
Weight (lbs)	152
Hose length (m)	25
Hose diameter (mm)	2








Granulate Grit Dust

Industrial vacuum cleaner 216 A


Description	Number of filter elements	Filter material	Compressed air requirement	Max airflow (m ³ /h)	Noise level (dB(A))	Max vakuum (in. wg)	[model]
Z16A - NE42	1	Microfibre	2,2 Nm ³ /min	360	73.5	-169	42121615
Z16A - NE32, control filter incl.	2	Paper /Microfibre	1,6 Nm ³ /min	342	74.0	-124	42121621

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
PEC		-40 Deg. C. - +60 Deg. C.				

Industrial vacuum cleaner 216 A

	[accessory]	[partno]
	Control S for NE 22-76	43220001
	Control S for NE 22-76	43220026
	Control S for NE86-96	43222008
	Plastic bag S50 - 25pcs 500 x 600 mm with hole for bin balancing	43650102
	Plastic bag S50 - 25pcs 630x800 mm with hole for bin balancing	43650103

Industrial vacuum cleaner 216 A



Air Powered ejectors

All performance data are based on 7 bar supply pressure