

Product leaflet

Exhaust Nozzles

High temperature resistant rubber and metal exhaust hoses



Nederman Exhaust Nozzles

Exhaust Nozzles

- Easy manual connection and disconnection of the exhaust nozzles
- Well proven nozzles with a soft capturing hood that protects employees and vehicles
- The nozzles are resistant to high exhaust temperature up to 150°C (300°F) for rubber nozzles and up to 400°C (750°F) for metal nozzles, in normal use.

Nederman offer an extensive range of robust rubber and metal vehicle exhaust extraction nozzles to accommodate various types of vehicles and systems including European standard EURO 6 engines. Adjustable test funnels with special design to handle large volumes of hot exhaust from vehicles in inspection centres for example. Also available with floor stand and for vertical exhaust pipes. The adjustable floor stand accommodates most exhaust pipe positions and designs.

2025-12-09 2/8

Nederman Exhaust Nozzles

Exhaust Nozzles

Certifications	CE
Installation	Indoor

	ltem no	Vehicle type	Max exhaust pipe, single (mm)	Hose connection Diameter (mm)	Max exhaust pipe, diameter. Dual (mm)	Hose length (m)
	20803161	Heavy vehicles	150	100		
	20803261	Heavy vehicles, Car	150	125		
	20803361	Heavy vehicles	150	150		
-	20803461	Car	75	75	100 x 75	
-	20803561	Car	75	100	100 x 75	
-	20803661	Car, Heavy vehicles	75	125	100×75	
å	20804061	Car	75	75	100 x 75	
å	20804161	Car	75	100	100 x 75	
å	20804261	Car, Heavy vehicles	75	125	100 x 75	
-4	20805461	Car	75	75	150×75	
-4	20805561	Car	75	100	150×75	
6	20805961	Heavy vehicles	150	150	n.a.	
-4	20808361	Car	75	100	150×75	

	ltem no	Vehicle type	Max exhaust pipe, single (mm)	Hose connection Diameter (mm)	Max exhaust pipe, diameter. Dual (mm)	Hose length (m)
1	20805661	Car, Heavy vehicles	100	125	200×100	
4	20805761	Heavy vehicles	100	150	200×100	
6	20805861	Car, Heavy vehicles	150	125	n.a.	
	20806161	Car	75	100	150×75	
	20806461	Car, Heavy vehicles	150	125	n.a.	
	20806561	Heavy vehicles	150	150	n.a.	
	20806961	Heavy vehicles	180	150	240 x 230	
	20807061	Heavy vehicles	230	200	240 x 230	
	20802561	Car	110	100	150×110	
9	20807861	Heavy vehicles	150	150	n.a.	
	20804761	Heavy vehicles	125	150	n.a.	
	20804961	Heavy vehicles	170	200	n.a.	
	20815261	Car	100	75/100		

	ltem n o	Vehicle type	Max exhaust pipe, single (mm)	Hose connection Diameter (mm)	Max exhaust pipe, diameter. Dual (mm)	Hose length (m)
	20817261	Car		100		
	20866461	Car	100	100		
	20866561	Car	75	75		
	20866661	Heavy vehicles	125	150	150 x 80	
	20866761	Heavy vehicles	125	125	150 x 80	
	20866861	Car	125	100	150 x 80	
	20866961	Car	125	75	150 x 80	
-	20867261	Car	70	100	240 × (35 - 70)	
-	20867661	Car	70	100	240 x (35 - 70)	
-	20867861	Car	70	100	270 x (35 - 70)	
	20867761	Car		100	250 x 80	
	20868361	Car		100		
	20816861	Car		150		

	ltem no	Vehicle type	Max exhaust pipe, single (mm)	Hose connection Diameter (mm)	Max exhaust pipe, diameter. Dual (mm)	Hose length (m)
Ŷ	20807261	Heavy vehicles		200		
**	20817061	Heavy vehicles		150		1
00	20817161	Heavy vehicles		150		
Ł	20816961			75		
	20801961	Heavy vehicles	250	140	n.a.	
	20808861	Heavy vehicles	250	125/150/200	n.a.	
A	20816661	Heavy vehicles	250	150	n.a.	
0.	20869761 ^[1]	Car		100		
0.	20869861 ^[2]	Car		100		
000	20869961 ^[3]	Car		100		
•.	20870061 ^[4]	Car		100		

^[1] For Mercedes C, Mercedes CLA, Mercedes E GLE and Ford Mondeo 2015.
[2] For Audi A6 2015 and Citoën DS
[3] For Volvo XC60, V60 and S60 (Before 2015), Mercedes R, GLK and GLA 2015, Mercedes E (Before 2013) and Porsche Cayenne.
[4] For Volvo S60, S90, S60 cross country (From 2015), V40, V60, V90, V60 cross country (from 2015), XC60 and XC90.

Accessories

	Accessory	Item no
	Safety coupling 4"	20374541
	Safety coupling 6"	20374543
	Mechanical quick coupler 4", male	20375049
	Safety Coupling 6" male	20376017
8	Connection kit 4" for quick coupler	20375048
· Andrews	Adaptor for 3" hose	20373128
	Adapter for double exhaust pipes, L=1,0 m, ø 100 mm	20815061
	Telescopic lifting pole 3m	20374287
0	Quick coupler 100mm (2 pcs)	20374641

2025-12-09 8/8