

Product leaflet

Hose Reel H20

Safe and functional retractable hose reel suitable for pneumatic tools, staplers and blow guns



Hose Reel H20

- Snap-on wall brackets
- Unique safety latch
- Drum with ball bearings on both sides
- Pressed fitting and steel spiral hose protector
- Hose easily replaced

The retractable hose reel H20 for water and air is suitable for light industrial use, professional tradesmen or do-it-yourself workshops. The hose reel H20 is retractable and has a robust design in high impact composite materials. Supplied with an easily mounted snap-on, pivoting wall bracket and a unique safety latch for safe and easy service. The hose reel is equally suitable for pneumatic tools, staplers and blow quns.

The hose reel H20 is retractable and has an optimized spring force, ensuring that the hose retracts smoothly and evenly onto the drum. The high quality spring is pre-tensioned at the factory to suit a wide range of applications, and is well protected inside the drum cavity. The self retracting hose reel H20 is very easy to mount, either on walls or ceilings.

Hose Reel H20

Certifications	CE
Installation	Indoor
Material	PVC/PUR
Material recycling (%)	100
Connection hose length (ft)	5
Type of hose	A
Media	Compressed air, Water
Delivered with hose	Yes
Colour	Blue
Diameter, connection hose (in)	3/8
Max working pressure (psi)	174
Weight (lbs)	3
Corrosion resistance	Standard
Electric/Spring driven	Spring

Models

Item no	Distribution hose length (ft)	Distribution hose diameter (in)
30800220	39	1/4
30800420	26	5/16

Hose types

Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
A	Cover in PVC and inner tube in PUR. Synthetic textile braid	-10 - 60	Male 1/4" brass. With spiral hose protectors			Hose nipple 3/8" + clip

Accessories

	Accessory	Item no
\Diamond	Rotation locking for series C20 and H20 (10 pieces)	30374626

Nederman

