

Hose Reel 884

Heavy duty hose reel for air, water, oil, diesel and grease.



Hose Reel 884












- ✓ Fully protected inner mechanisms
- ✓ Strong, durable and highly corrosion resistant
- ✓ Adjustable outlet arm minimizes friction
- ✓ Easy service and cleaning.
- ✓ The recycled aluminium and composite drum reduces the environmental impact.

Heavy duty hose reel for air, water, oil, diesel and grease. Suitable for long and heavy hoses. Made of epoxy coated die cast aluminium. Ball bearings in drum and swivel.

Hose Reel 884

Certifications	CE
Material recycling (%)	100
Connection hose length (ft)	3

Models











	Item no	Type of hose	Media	Delivered with hose	Colour	Distribution hose length (ft)	Diameter, connection hose (in)	Distribution hose diameter (in)
	30862584 ^[1]	D	Compressed air, Water	Yes	Gray	98	1/2"	1/2"
	30862684 ^[1]	J	Grease	Yes	Gray	25	10	6
	30862784 ^[1]	D	Oil	Yes	Gray	15	19	19
	30862884 ^[1]		Oil	No	Gray			19
	30862984 ^[1]	D	Oil	Yes	Gray	20	12.5	12.5
	30863084 ^[1]	G	Water high pressure	Yes	Gray	25	10	10
	30863184 ^[1]		Water high pressure	No	Gray			
	30863284 ^[1]	D	Compressed air, Water	Yes	Gray	49.2	3/4"	3/4"
	30863384 ^[1]	D	Compressed air, Water	Yes	Gray	20	12.5	12.5
	30863484 ^[2]			No	Gray			
	88000581							

^[1] NPT^[2] For 10 or 12,5 mm hose

Hose types


Hose type	Specification	Temperature range, °C	Hose fittings in free hose end, distribution hose	Hose fitting on free hose end, inlet hose	Hose connection on reel, distribution hose	Hose connection on reel, inlet hose
D	Cover in NBR/PVC and inner tube in NBR. Synthetic textile braid	-30 - 100	Male, chrome plated		Hose nipple + clip	Hose nipple + clip
G	Cover and inner tube in synthetic rubber. Single steel braid	-40 - 155	Female 60° cone, chrome plated. With rubber hose grip	Female 60° cone, chrome plated	Male 60° cone	Male 60° cone
J	Cover and inner tube in synthetic, oil resistant rubber. Double steel braid	-40 - 100	Female 60° cone, chrome plated	Female 60° cone, chrome plated	Male 60° cone	Male 60° cone

Accessories

	Accessory	Item no
	Water gun in chromium plated brass	30400110
	Water gun in stainless steel	30400210
	Watergun EX	30400211
	High temperature water gun	30400310
	Swivelling coupling 3/8(m)-3/8(m)HP	30431310
	Swiv. coupling 3/8(m)-3/8(m) HP SS	30431410
	Swivl. coupl. 1/2(m)-3/8(f) brass	30431510
	Swivl. coupl. 1/2(m)-1/2(f) brass	30431610
	Swivel coupling 1/2(m)- 3/4 (f) bra	30431710
	Swivl. coupl. 1/2(m)-3/8(f) SS	30431810

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

Accessories

	Accessory	Item no
	Swivl coupl. 1/2(m)-1/2(f) SS	30431910
	Swivl.coupl.1/2(m)-3/4(f) SS	30432010
	Galv. Steel Pivoting Wall Bracket FZB for 884 Hose Reel	30373667
	Inlet kit for hose reel 1/2"	30511550
	Inlet kit for hose reel	30511650
	SS Pivoting Wall Bracket for 884 Hose Reel	30373668

