

Fan N3



Fan N3

- ✓ Easy to install
- ✓ The Filter Cartridge Standard consists of particle, HEPA and gas filter
- ✓ The Filter Cartridge Gas is a pure carbon filter
- ✓ The filter cartridges are disposable and easy to change

Designed for extraction and filtration of noxious fumes and vapours for the smaller workplace, for instance when soldering, gluing or working with solvents. It is intended to be used in different combinations with the FX arms or the Down Flow Grille FD 23.

Fan N3

Certifications	CE
----------------	----

Models

	Item no	Power voltage (V)	Frequency (Hz)	No of phases	Electric plug	Power (Hp)
	70801434	220 - 240	50 / 60	1	Euro (CEE 7/2 P+E)	0.16 (0.12 Kw)
	70802034	110 - 120	50 / 60	1	US	0.16 (0.12 Kw)

Accessories

	Accessory	Item no
	NE Fan Active Carbon Replacement Filter - also for EK1000/1500/3000 Kits	70312427
	N3 fan Standard replacement filter 1,5 kg active carbon and 2,5 m2 HEPA 13 filter area.	70311427
	N3 Fan 3-way Adapter Diameter = 1 x 5 in (125) to 3 x 2 in (45 mm)	70372012
	FX/N3 Fan Down Flow Screen (Galv perforated sheet metal) - Screen D = 220 mm - Hose Connection D = 1.75 in (45 mm) - SS Housing OD = 260 mm for a hole D = 213 mm	70373527
	FX/N3 Fan Down Flow Screen Hose Outlet Transition 16 ga Galv - 1.75 in to 1.2 in (45 mm to 32 mm)	70373605
	T-conn. 1x125mm, 2x100mm	70500526
	T-conn. 1x125mm, 2x100mm ESD	70500529
	N3 Fan Transition 16 ga Galv Steel with (2) bridge hose clamps - Diameter = 5 in to 3 in (125 mm to 75 mm) - White	70345401
	Silencer ESD box, N3 Fan and Filter. The silencer box is damping the sound with 7dB.	70377164
	Adapter for connecting (2) N3 Filter Cartridges	70332904

