

# Suction hose FS-kit



## Suction hose FS-kit






- ✓ Temp. range: 0 to +80 °C.
- ✓ Max. vacuum 60 kPa.

Hose set. Length 1.8 m. Pneumatic tools: Set comprises compressed air hose, suction hose, coupling M40-xxP and mounting elements. Compressed air nipple not included. Electrical tools: Set comprises suction hose and coupling M40-xxP.

# Suction hose FS-kit





Certifications	CE
Standard	Designed for ISO 21904 compliance

Models

	Item no	Max vacuum (kPa)	Diameter (mm)	Length (m)
	40272420 <sup>[1]</sup>	60	25	1,8
	40272430 <sup>[1]</sup>	60	25	1,8
	40272431 <sup>[1]</sup>	60	32	1,8
	40272440 <sup>[1]</sup>	60	38	1,8
	40272442 <sup>[1]</sup>	60	38	1,8

<sup>[1]</sup> For pneumatic tools - The kit is composed of compressed air hose, suction hose, coupler M40-xxP and mounting details. Compressed air nipple is not included.

## Accessories

	Accessory	Item no
	Hose Shelf 30M 115x70	40195450
	Hose Shelf 60M 150x110	40195451
	Hose Shelf 120M 200x160	40195452
	Hose & Add.shelf	40196370