

ALU 150/250

Zaawansowany system odciągu spalin dla pojazdów w ruchu



ALU 150/250

- ✓ Wysokiej jakości elementy
- ✓ Dwa standardowe rozmiary szyny
- ✓ Kompletny katalog akcesoriów do systemów odciągowych
- ✓ Large airflow

ALU150/250 jest zaawansowanym szynowym odciągim spalin przeznaczonym do intensywnego użytkowania, opracowany w celu spełnienia wymagań, np.: zakładów produkujących samochody i stacji kontroli pojazdów. Szyna ALU 150/250 oferuje wiele funkcji, takich jak: automatyczny powrót wózka odciągowego osobnym torem jezdny (zobacz ALU FLOWLINE), automatyczne wypięcie ssawki i elektryczne podnoszenie węża, tylko podłączenie ssawki ręcznie. W kombinacji z automatycznym powrotem, odciąg szynowy może być stosowany także dla samochodów ciężarowych obsługiwanych w tym samym czasie. UWAGA! W przypadku prostego rozwiązania dla szyny prostej na jej końcu (zobacz akcesoria) musi być zastosowany hamulec hydrauliczny.

ALU 150/250

Certyfikaty	CE
-------------	----

Models

	Item number	Rodzaj węża	Średnica, węż (mm)	Długość węża (m)
	20900510 ^[1]			
	20900610 ^[2]			
	20900710 ^[3]			
	20900810 ^[4]			
	20900910 ^[5]			
	20901010 ^[6]			
	20901110 ^[7]			
	20901210 ^[8]			
	20901310 ^[9]			
	20901410 ^[10]			
	20901510 ^[11]			
	20901610 ^[12]			
	20901710 ^[13]			

Models

	Item number	Rodzaj węża	Średnica, węż (mm)	Długość węża (m)
	20901810 ^[14]			
	20901910 ^[15]			
	20902010 ^[16]			
	20950010 ^[17]			
	20950110 ^[18]			
	20950210 ^[19]			
	20950310 ^[20]			
	20950410 ^[21]			
	20950510 ^[22]			
	20950610 ^[23]			
	20950710 ^[24]			
	20950810 ^[25]			
	20950910 ^[26]			

Models

	Item number	Rodzaj węża	Średnica, węż (mm)	Długość węża (m)
	20951010 ^[27]			
	20951110 ^[28]			
	20951210 ^[29]			
	20951310 ^[30]			
	20951410 ^[31]			
	20951510 ^[32]			
	20900310 ^[33]	NR-CP	100	5
	20900410 ^[33]	NR-CP	150	5
	20902610 ^[33]	NR-CP	150	7,5
	20902710 ^[33]	NR-CP	150	7,5

[2] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 2 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 5m, fasteners for rail assembly.

[2] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 2 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 5m, fasteners for rail assembly.

[3] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 2 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 3m, fasteners for rail assembly.

[4] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 3 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 10m, kit connections and fasteners for rail assembly.

[5] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 4 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 12,5m, kit connections and fasteners for rail assembly.

[6] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 4 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 15m, kit connections and fasteners for rail assembly.

[7] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 5 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 17,5m, kit connections and fasteners for rail assembly.

[8] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 5 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 20m, kit connections and fasteners for rail assembly.

[9] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 6 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 22,5m, kit connections and fasteners for rail assembly

[10] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 6 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 25m, kit connections and fasteners for rail assembly.

[11] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 7 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 27,5m, kit connections and fasteners for rail assembly

[12] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 7 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 30m, kit connections and fasteners for rail assembly.

[13] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 8 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 35m, kit connections and fasteners for rail assembly.

^[14] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 9 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 40m, kit connections and fasteners for rail assembly.

[15] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 10 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 45m, kit connections and fasteners for rail assembly

[16] Straight exhaust rail ALU 150 incl. suspension brackets. Ceiling Support 11 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 50m, kit connections and fasteners for rail assembly.

[17] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 2 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 2,5m, fasteners for rail assembly.

[18] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 2 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 5m, fasteners for rail assembly.

[19] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 3 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 7,5m, kit connections and fasteners for rail assembly.

[20] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 3 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 10m, kit connections and fasteners for rail assembly.

[21] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 4 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 12,5m, kit connections and fasteners for rail assembly

[22] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 4 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 15m, kit connections and fasteners for rail assembly.

[23] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 5 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 17,5m, kit connections and fasteners for rail assembly

[24] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 5 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 20m, kit connections and fasteners for rail assembly.

[25] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 6 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 22,5m, kit connections and fasteners for rail assembly

[27] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 3 pcs., lid 3 pcs., end stop 3 pcs., rubber moulding 37.5m, kit connections and fasteners for rail assembly.

[27] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 7 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 27,5m, kit connections and fasteners for rail assembly

[29] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 2 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 30m, kit connections and fasteners for rail assembly.

[29] Straight exhaust rail A U 250 incl. suspension brackets, Ceiling Support 8 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 35m, kit connections and fasteners for rail assembly.

[31] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 10 pcs., lid 3 pcs., end stop 3 pcs., rubber moulding 45m, kit connections and fasteners for rail assembly

[34] Straight exhaust rail ALU 250 incl. suspension brackets. Ceiling Support 10 pcs., lid 2 pcs., end stop 2 pcs., rubber moulding 45m, kit connections and fasteners for rail assembly

[33] Delivered with trolley, balancer, exhaust hose and nozzle.


[55] Delivered with trolley, balancer, exhaust hose and nozzle.

Accessories


	Accessory	Item number
	Disconnection rail ALU 150/250	20940810
	Limit stop ALU150/250 hydraulic	20941410
	Uchwyt do podwieszenia szyny	20940110
	Wall bracket 600mm	20947510
	Rod for ALU 150/250 10 pcs.	20941110
	Element usztywniający do szyny	20373942
	Wózek odciągowy MAXI	20940310
	Wózek do ramion odciągowych Nederman	20940210
	Podwieszenie do balansera	20941310
	Support for balancer MAXI	20941210
	Wózek standard do szyny ALU 6' bez węża	20943210
	Suc.trolley ALU150 Ø150 std damp	20943410
	Wózek do bębna 865 dla szyny ALU	20948610

Accessories


	Accessory	Item number
	End connection ALU150 w hose	20816264
	Extractor side ALU 250 Ø250 with hose	20377374
	Kit connection ALU 250	20377371
	Extractor top side Ø250 with hose	20377373
	Extractor top Ø250 W/hose	20377372
	Kit ALU150 connection piece	20373413
	Ceiling Support bracket 5pcs, ALU250	20377370



Y = Spadek ciśnienia (Pa), X = przepływ powietrza (m³/h) A = ALU Ø150 mm B = ALU Ø250 mm



Spadek ciśnienia zestawu odciągowego z: A = wąż Ø100 mm, 5 m B = wąż Ø150 mm, 7.5 m C = wąż Ø150 mm, 5 m



Y= Spadek ciśnienia (Pa), X= wydajność (m³/h) A = Wózek, ramię odciągowe B =Górny wylot - side Ø250 C = Maks. wózek Ø200 bez węża D =Szyna i wylot ALU 250 / Ø250 E = Górny wylot Ø250 F = Szyna i wylot ALU 150 / Ø250