

# 722A

Powerful dust collector with pre separator



This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-12-09

1/6

## 722A

- ✓ High vacuum and airflow
- ✓ Dust separation from grit and granulates

An extremely powerful vacuum unit for the collection of blasting grit and other granulated material. The combination of high vacuum and high airflow make material transport over long distance possible. Compact design, built on a frame with the possibility of transportation by forklift. Equipped with grit and dust separator. The clean grit is collected in a silo and can be re-used. The dust is trapped in a high efficient NCF filter and discharged into a dustbin or bag.

722A

[ProductCertifications]	[ce]
[ProductInstallation]	[Outdoor], [Indoor]
Filter cleaning method	[ReverseAirPulse]
[ProductApplication]	[granulate], [grit], [swarf]
Dustbin volume (l)	67+220
[ProductFilterArea]	5,25
Filter type	[NCF]
Number of filter elements	70
Type of hose	PU12
Max airflow (m³/h)	660

Max vacuum (kPa)	-68
Weight (kg)	300
Hose length (m)	10
Hose diameter (mm)	76

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB


2025-12-09

3/6

Nederman

722A

Models




	Item no
	42172200 <sup>[1]</sup>

<sup>[1]</sup> With gulper head


Hose types

Hose type	[HoseSpecification]	[HoseTemperatureRange]	[HoseFittingDistribution]	[HoseFittingInlet]	[HoseConnectionDistribution]	[HoseConnectionInlet]
PU12	Sturdy hose. Suitable for abrasive material Transparent polyurethane (t=1,2 mm) Reinforced with inbedded steel helix	- 40 deg. C. - + 90 Deg. C.				

Accessories

	Accessory	Item no
	Control S for NE 22-76	43220001
	Control S for NE 22-76, wo/control box	43220026
	Control S for NE86-96, wo/control box	43222008

Nederman722A



Air Powered ejectors All performance data are based on 7 bar supply pressure