

Pneumatisch traceersysteem (PTS)

Uitlaatgasafzuiging voor hulpposten



Pneumatisch traceersysteem (PTS)

- ✓ Luchtopening voor snelle en veilige vertrekken
- ✓ Veiligheidskoppeling in het geval van foutieve werking
- ✓ Mondstukken om te passen op alle soorten voertuigen
- ✓ Handvat voor ergonomische bediening
- ✓ Uitlaatslang met geïntegreerde persluchtslang

Het pneumatisch traceersysteem – PTS is geschikt voor stations waar voertuigen regelmatig wisselen. Het systeem is gebaseerd op een mondstuk geëxpandeerd door perslucht, het bevestigen en afdichten van het mondstuk strak om de uitlaatpijp. PTS wordt geleverd met een keuze uit twee verschillende mondstukken om te passen op de meest voorkomende vormen van uitlaatpijpen. Een snelkoppeling maakt het gemakkelijk om te schakelen tussen de mondstukken.

Pneumatisch traceersysteem (PTS)

Certificeringen	CE
Recycling van materiaal (%)	100

Modellen


	Artikelnummer	Slangtype	Slangdiameter (m)	Slanglengte (m)
	20807564 ^[1]	NTP	100	5
	20807664 ^[2]		100	7,5
	20807764 ^[2]		100	10
	20869061 ^[3]		100	1
	20869161 ^[3]		100	1

^[1] International Version, Complete with Track (1), Brackets (2), End stop (3), Trolley (4) , Balancer (5), Hose suspension (6), Upper extraction hose (7), Safety coupler (female 9a), Upper integrated pneumatic air hose (10) and Disconnection valve (11)
^[2] International Version, Complete with Track (1), Brackets (2), End stop (3), Trolley (4) , Balancer (5), Hose suspension (6), Upper extraction hose (7), Safety coupler (female 9a), Upper integrated pneumatic air hose (10) and Disconnection valve (11)
^[3] Complete Nozzle kit (8) with Nozzle, Lower extraction hose, Lower integrated pneumatic air hose and Safety coupler (male 9b).

Accessoires


	Accessoires	Artikelnummer
	Radio transmitter vehicle GHz	20376723
	Radio Receiver GHz	20376724
	Handheld radio transmitter GHz	20376725
	Pressure switch - Fan start	20807864
	compressed air filter aut. 0.1bar	20375252
	Tail pipe stop 50-90mm/2-3.5"	20375139
	Tail pipe stop 90-130mm/3.5-5"	20375140
	Tail pipe stop 120-180mm/5,1-7,1"	20375456

Pressure drop international version, hose 5,9 m ø 100 mm X1 = Airflow (m³/h) X2 = Airflow (CFM) Y1 = Pressure (Pa) Y2 = Pressure (in. w.g.)




Pressure drop international version, hose 9,4 m ø 100 mm X1 = Airflow (m³/h) X2 = Airflow (CFM) Y1 = Pressure (Pa) Y2 = Pressure (in. w.g.)


Pressure drop international version, 11,8 m ø 100 mm X1 = Airflow (m³/h) X2 = Airflow (CFM) Y1 = Pressure (Pa) Y2= Pressure (in. w.g.)



Pressure drop North American version, hose 19 ft (5,9 m) X1 = Airflow (m³/h) X2 = Airflow (CFM) Y1 = Pressure (Pa) Y2= Pressure (in. w.g.)



Pressure drop North American version, hose 30 ft (9,4 m) X1 = Airflow (m³/h) X2 = Airflow (CFM) Y1 = Pressure (Pa) Y2= Pressure (in. w.g.)



Pressure drop North American version, hose 38 ft (11,8 m) X1 = Airflow (m³/h) X2 = Airflow (CFM) Y1 = Pressure (Pa) Y2= Pressure (in. w.g.)