

Drum filler 014A

Well suited for extraction of liquids



This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-12-09

1/5

Drum filler 014A

- ✓ Simple and robust ejector
- ✓ No filter is needed

- ✓ Drum is not included
- ✓ Easy handling

Handy ejector-driven drum filler for collection and transport of oil, chemicals, water and other liquids. It is placed in a bung-hole (R 2") of an empty but suitable oil drum. By connecting the unit to a compressed air hose and a suction hose, it is ready for use. Suction stops when the drum is full, due to the built-in float stop. The ejector is easy to mount on a variety of drums. Drum is not included.

Drum filler 014A

[ProductCertifications]	[ce]
[ProductNoiselevel]	80
Compressed air consumption	0,7 Nm3/min
[ProductInstallation]	[Indoor]
Material	Hose in conductive PE
[ProductApplication]	[liquid]
[ProductHoseLength]	5
Type of hose	PE
Max airflow (m³/h)	132
Max vacuum (kPa)	-23

Weight (kg)	8
Hose length (m)	5
Hose diameter (mm)	38

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB



2025-12-09

3/5

Nederman

Drum filler 014A

Models

	Item no
	42101402 ^[1]
	42101404 ^[2]

^[1] With cleaning set and conical nozzle and trolley
^[2] With cleaning set

Hose types

Hose type	[HoseSpecification]	[HoseTemperatureRange]	[HoseFittingDistribution]	[HoseFittingInlet]	[HoseConnectionDistribution]	[HoseConnectionInlet]
PE	Non conductive hose for light cleaning applications Max vacuum 50 kPa	-40 Deg. C - +60 deg. C.				

Nederman

Drum filler 014A

