

Absaug-Kit am Werkzeug

Staubabsaugung an der Quelle ist die effektivste Methode für die Erfassung von Staub während Schleifen, Sandstrahlen und Schneiden.



Example picture

Absaug-Kit am Werkzeug

- ✓ Alle erzeugen Stäube werden an der Quelle erfasst.
- ✓ Klare Sicht während der Arbeitsgänge
- ✓ Trägt zu mehr Sauberkeit am Arbeitsplatz bei
- ✓ Umfassendes Sortiment für alle Werkzeuge

Nederman Befestigungssets für Handwerkzeuge entfernen den Staub während Schleifen, Polieren und Schneiden wirksam. Diese Vorgänge erzeugen große Mengen an Staub. Flugstaub und feine Partikel können für die menschliche Gesundheit gefährlich sein und sie sollten an der Quelle abgesaugt werden, bevor sie die Atmungszone erreichen. Der Bediener muss stets vor der Inhalation von Staub geschützt sein. Die Absaugung am Werkzeug sorgt für die effektive Absaugung und garantiert dem Bediener hervorragende Bewegungsfreiheit und Flexibilität. Nederman Zubehörsets können sowohl an elektrischen als auch an pneumatischen Werkzeugen montiert werden.

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-12-04

2/9

Absaug-Kit am Werkzeug

Zertifikat	CE
------------	----

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-12-04

3/9

Nederman

Absaug-Kit am Werkzeug

Modelle

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
	40400223	Sanding	ATA	RA-10LR	125 m³/h	
	40400710	Cutting	AtlasCopco	G 2408	200 m³/h	
	40400741	Grinding	AtlasCopco	LSF 27 S180 / 250	200 m³/h	
	40400742	Drilling	AtlasCopco	LSF 28	200 m³/h	
	40400780	Sanding	AtlasCopco	LSV 27 S040/S060	250 m³/h	
	40400790	Sanding	AtlasCopco	LSV 27 S040/S060	250 m³/h	
	40400863	Sanding	AtlasCopco	LSV 38 ST12/SA12	250 m³/h	
	40400870	Grinding	AtlasCopco	LSV 27 / LSV 28 / LSV 36 ST12	250 m³/h	
	40400873	Grinding	AtlasCopco	LSV 38 D120	250 m³/h	
	40400874	Cutting	AtlasCopco	LSV 38 D120	250 m³/h	
	40400880	Sanding	AtlasCopco	LSV 37 S066/S085	250 m³/h	
	40400885	Sanding	AtlasCopco	LSV 38 D085	250 m³/h	
	40400920	Cutting	AtlasCopco	G 2409	200 m³/h	

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-12-04

4/9



Absaug-Kit am Werkzeug

Modelle

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
--	-------------	---------------------	-------------------	-----------------------	----------------------------	----------------------------

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
	40401171	Edge trimming	AtlasCopco	LSF 27 S120 / 250	200 m³/h	
	40402631	Cutting	AtlasCopco	GTG 40 F085-18	250 m³/h	
	40409000	Grinding	AtlasCopco	GTG 40 F085-18	250 m³/h	
	40409010	Sanding	AtlasCopco	GTG 40 S060	250 m³/h	
	40409011		AtlasCopco			
	40409022	Cutting	AtlasCopco	Atlas Copco GTG 21 D085	250 m³/h	
	40409023	Grinding	AtlasCopco	GTG 21 D120	250 m³/h	
	40409026	Sanding	AtlasCopco	GTG 21 D085	250 m³/h	
	40409027	Sanding	AtlasCopco	GTG 25	250 m³/h	
	40409264		AtlasCopco			
	40400882	Sanding	AtlasCopco	LSV 38 S085D	250 m³/h	
	40400884	Sanding	AtlasCopco	LSV 38 D085	250 m³/h	
	40401173		AtlasCopco			

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-12-04

5/9



Absaug-Kit am Werkzeug

Modelle

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
--	-------------	---------------------	-------------------	-----------------------	----------------------------	----------------------------

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
	40409024	Sanding	AtlasCopco	GTG 21 D120	250 m³/h	
	40401970	Sanding	Bosch	1306	250 m³/h	
	40402050	Sanding	Bosch	1332	250 m³/h	
	40402051	Sanding	Bosch	GWS 8-125	250 m³/h	
	40402060	Grinding	Bosch	GWS 6-115 E / 6-125	200 m³/h	
	40402061		Bosch	GWS 10/14-125		
	40409300	Sanding	Chicago Pneumatic	778	250 m³/h	
	40409421		Chicago Pneumatic	3850 Ø180mm Diamond blade		
	40409302	Sanding	Chicago Pneumatic	CP7202	200 m³/h	
	40409402		Chicago Pneumatic	3850 Ø180mm Fibre disc		
	40401760	Sanding	Desoutter	363 / S146 L	250 m³/h	
	40409354	Cutting	Desoutter	KA16120B BY /16085B /16075B BY/ 16060B BY 5/8"	250 m³/h	
	40409356	Sanding	Desoutter	KA 16060 A/B BY / KA 16075 A/B BY / KA16085 A/B	250 m³/h	

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-12-04

6/9



Absaug-Kit am Werkzeug

Modelle

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
--	-------------	---------------------	-------------------	-----------------------	----------------------------	----------------------------

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
	40409400	Sanding	Desoutter	KA 19077 BY/BV. KA 19060 BY/BV	250 m³/h	
	40409420	Cutting	Desoutter	Desuotter KA 19077 BY/BV. KA 19060 BY/BV	250 m³/h	
	40401750	Sanding	Desoutter	363 / S146 L	250 m³/h	
	40409351	Cutting	Desoutter	KA 16135 C4S	200 m³/h	
	40409357	Sanding	Desoutter	KA 16120 A/B BY / KA 16075 A/B BY /KA 16085 A/B	250 m³/h	
	40403363	Sanding	Dynabrade	mod 52413 (Original pad)	200 m³/h	
	40409230	Grinding	Flex	LD 1709 FR	250 m³/h	
	40400670	Cutting	Fuji	FA 3 CX-2	200 m³/h	38
	40403170	Grinding	Georges Renault	KC 722	200 m³/h	
	40409163	Sanding	Georges Renault	KA 312-9 / 320-9	125 m³/h	
	40409166	Sanding	Georges Renault	KA 312-9 / 320-9	125 m³/h	
	40409170	Cutting	Georges Renault	KA 318 C3 / 320 C3	200 m³/h	
	40401950	Sanding	Hitachi	G 13 SB/SD / G 12 SI	250 m³/h	

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-12-04

7/9



Absaug-Kit am Werkzeug

Modelle

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
--	-------------	---------------------	-------------------	-----------------------	----------------------------	----------------------------

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
	40402280	Sanding	Hitachi	G18SC. G18SH. G18UB / G23SF. G23UB	250 m³/h	
	40402300		Hitachi			
	40403001	Grinding	Hitachi	G13 YC / G15 YC	250 m³/h	
	40402941	Sanding	Ingersoll Rand	G3A120PP95	250 m³/h	
	40402951		Ingersoll Rand	G3A120PP95		
	40403210	Grinding	Ingersoll Rand	VT22 120P95M	200 m³/h	
	40403410	Sanding	Ingersoll Rand	317-EU	250 m³/h	
	40403275	Sanding	Makita	9562/9565/9526/9527/9528/6528	250 m³/h	
	40403276		Makita	9565. 9526		
	40409241	Sanding	Makita	9067SF	250 m³/h	
	40409070		Metabo	WE7-9-10-12-125		
	40409071	Sanding	Metabo	W7-125/ WE 9-10-14-125(EU / P mod)M14	250 m³/h	
	40402482	Sanding	Nitto	MAS 20	125 m³/h	

This content is protected under copyright law, furnished for informational use only, and subject to change without notice. © Nederman Holding AB

2025-12-04

8/9



Absaug-Kit am Werkzeug

Modelle

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
--	-------------	---------------------	-------------------	-----------------------	----------------------------	----------------------------

	Item number	[OnToolApplication]	[ItemOnToolBrand]	[ItemManufactureTypy]	[OnToolAirflowRequirement]	Durchmesser, Schlauch (mm)
	40400224	Sanding	Shinano	SI 2201	125 m³/h	
	40402330	Sanding	Shinano	SI 2026	250 m³/h	
	40409030	Sanding	Suhner	UWC 7	250 m³/h	
	40400080	Sanding	Uryu	USG 5 VL	250 m³/h	
	40401000	Sanding	Uryu	USG 45 P	250 m³/h	
	40401400	Sanding	Uryu	UAG 50 SBL (3/8 spindle)	250 m³/h	
	40402630	Cutting	Universal	Attachement kit for all Angle grinders	250 m³/h	
	40402760	Grinding	Universal	Attachement kit for all Straight grinders	250 m³/h	
	40403214	Grinding	Universal	Att kit with brush for wheel guard 115-150mm	200 m³/h	
	40403330	Welding	Universal	Att kit for Welding gun and welding robot	200 m³/h	
	40409002	Grinding	Universal	Att kit all EL-Machines 180-230mm disc	250 m³/h	
	40403212 ^[1]	Grinding	Universal	Att kit with brush for fit to wheel guard 180-230mm	250 m³/h	38
	40402052					

^[1] Universal